VOLUME 79 • SUBJECT INDEX

22q deletion, Relation of genotype 22q11 deletion to phenotype of pulmonary vessels in tetralogy of Fallot and pulmonary atresia–ventricular septal defect, **186**

abciximab, Effectiveness and cost-effectiveness of single bolus treatment with abciximab (ReoPro) in preventing restenosis following percutaneous transluminal coronary angioplasty in high risk patients, **12**
Enthusiasm, reality, and cost-effectiveness analysis: *editorial,* **9**
Murmurs from the heart (or why the stethoscope is not an economic tool): *editorial,* **10**
Using cost-effectiveness for subsidy decisions: *editorial,* **7**
ablation, Ablate and pace: a pragmatic approach to paroxysmal atrial fibrillation not controlled by antiarrhythmic drugs: *editorial,* **531**
accessory pathways, The transseptal approach for ablation of cardiac arrhythmias: experience of 104 procedures, **379**
Unguarded tricuspid orifice with pulmonary atresia: successful radiofrequency ablation of an accessory pathway in an infant, **101**
ACE inhibitors, Present treatment options in congestive heart failure, **S24**
Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
acute myocardial infarction, Increased plasma adrenomedullin levels in patients with acute myocardial infarction in proportion to the clinical severity, **39**
Primary antiphospholipid syndrome with acute myocardial infarction recanalised by PTCA, **96**
acute myocardial syndrome, Human stress cardiomyopathy mimicking acute myocardial syndrome: *letter,* **530**
adrenergic receptors, Lipophilic versus hydrophilic β_1 blockers and the cardiac sympatho-vagal balance during stress and daily activity in patients after acute myocardial infarction, **153**
β adrenergic regulation, Pathophysiology of heart failure, **S3**
adrenomedullin, Increased plasma adrenomedullin levels in patients with acute myocardial infarction in proportion to the clinical severity, **39**
adult congenital heart disease, Balloon expandable stents for systemic venous pathway stenosis late after Mustard's operation, **225**
Congenitally corrected transposition of the great arteries in an 80 year old woman, **622**
Management of polycythaemia in adults with cyanotic congenital heart disease: *editorial,* **315**
akinesia, Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
albumin, The Fontan procedure: lessons from the past: *editorial,* **213**
alcohol, Myocardial infarction in young people with normal coronary arteries, **191**
ambulatory blood pressure monitoring, The clinical value of ambulatory blood pressure monitoring: *editorial,* **115**
amiodarone, Amiodarone and the thyroid: a practical guide to the management of thyroid dysfunction induced by amiodarone therapy: *review,* **121**
Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial,* **317**
Prognostic value of non-sustained ventricular tachycardia and the potential role of amiodarone treatment in hypertrophic cardiomyopathy: assessment in an unselected non-referral based patient population, **331**
Amplatzer septal occluder, Occlusion of Fontan fenestrations using the Amplatzer septal occluder, **368**
Transcatheter occlusion of a post-Fontan residual hepatic vein to pulmonary venous atrium communication using the Amplatzer septal occluder, **624**
amyloidosis, Familial and primary cardiac amyloidosis: echocardiographically similar diseases with distinctly different clinical outcomes: *letter,* **313**
aneurysm, Aneurysms and pseudoaneurysms of saphenous vein coronary artery bypass grafts, **505**
angina pectoris, Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**
Evaluation of technician supervised treadmill exercise testing in a cardiac chest pain clinic, **613**
angiography complications, Pseudoaneurysm of femoral artery after catheterisation: treatment by a mechanical compression device guided by colour Doppler ultrasound, **502**
angioplasty, Early and intermediate term clinical outcome after multiple coronary stenting, **29**
Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
Validation of an automated technique for determining the mechanical characteristics of coronary arteries during balloon angioplasty: laboratory assessment with necropsy segments, **608**
animal toxin, Haemodynamic patterns in patients with scorpion envenomation, **485**
annual check up, Transient hypertension in male adolescents when measured by a woman: *letter,* **104**
anomalous left pulmonary artery, Anomalous left pulmonary artery without pulmonary artery sling, **521**
anomalous origin of the left coronary artery, Septal ablation in a patient with hypertrophic obstructive cardiomyopathy and a unique variant of anomalous origin of the left coronary artery, **629**
antiarrhythmic agents, Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial,* **317**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
antibiotic treatment, Antibiotic treatment of streptococcal, enterococcal, and staphylococcal endocarditis, **207**
anticoagulant treatment, Screening for atrial fibrillation in primary care, **50**
antioxidants, Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**
aorta, Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation, **69**
aortic atheroma, Investigation of the thoracic aorta in cholesterol embolism by transoesophageal echocardiography, **133**
Ultrasonic imaging of aortic atheroma: *editorial,* **111**
aortic coarctation, Relation of biophysical response of coarcted aortic segment to balloon dilatation with development of recoarctation following balloon angioplasty of native coarctation, **407**
aortic valve replacement, Minimally invasive aortic valve replacement through a transverse sternotomy: a word of caution, **605**
aortocoronary bypass, Relation between left ventricular function and oxidative stress in patients undergoing bypass surgery, **242**
apoptosis, Apoptosis in cardiovascular disease: *letter,* **313**
arrhythmias, Sinus bradycardia and multiple episodes of sinus arrest following administration of ibutilide, **628**
Dual chamber single lead pacing: *editorial,* **217**
Familial atrial fibrillation with fetal onset, **195**
High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
Mechanisms of fetal tachycardia: *editorial,* **536**
Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
Sotalol associated polymorphic ventricular tachycardia and coronary spasm, **518**
The transseptal approach for ablation of cardiac arrhythmias: experience of 104 procedures, **379**
arrhythmogenic right ventricular dysplasia, Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin, **388**
arterial duct, Residual and recurrent shunts after implantation of Cook detachable duct occlusion coils, **220**
arterial switch operation, Late onset pulmonary valvar stenosis after arterial switch operation for transposition of the great arteries, **311**
aspirin, Blocking platelets more: are we skating on thin ice?: *editorial,* **5**
atherosclerosis, Cell adhesion molecules in cardiovascular disease: a clinical perspective: *review,* **429**
Coronary artery remodelling: *editorial,* **109**
Shrinkage of human coronary arteries is an important determinant of de novo atherosclerotic luminal stenosis: an in vivo intravascular ultrasound study, **143**
Tyrosine phosphorylation of platelet derived growth factor β receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris, **400**
athletes, High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
atrial arrhythmias, Sinus bradycardia and multiple episodes of sinus arrest following administration of ibutilide, **628**
atrial defibrillator, Distribution of fast heart rate episodes during paroxysmal atrial fibrillation, **497**
atrial fibrillation, Efficacy of a new balloon catheter for internal cardioversion of chronic atrial fibrillation without anaesthesia, **128**
Familial atrial fibrillation with fetal onset, **195**
Predictors of atrial rhythm after atrioventricular node ablation for the treatment of paroxysmal atrial arrhythmias, **548**
Screening for atrial fibrillation in primary care, **50**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
atrial flutter, Fetal tachycardias: management and outcome of 127 consecutive cases, **576**
Radiofrequency catheter ablation for atrial flutter following orthotopic heart transplantation, **412**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**

VOLUME 79 • SUBJECT INDEX

22q deletion, Relation of genotype 22q11 deletion to phenotype of pulmonary vessels in tetralogy of Fallot and pulmonary atresia–ventricular septal defect, **186**

abciximab, Effectiveness and cost-effectiveness of single bolus treatment with abciximab (ReoPro) in preventing restenosis following percutaneous transluminal coronary angioplasty in high risk patients, **12**
Enthusiasm, reality, and cost-effectiveness analysis: *editorial,* **9**
Murmurs from the heart (or why the stethoscope is not an economic tool): *editorial,* **10**
Using cost-effectiveness for subsidy decisions: *editorial,* **7**
ablation, Ablate and pace: a pragmatic approach to paroxysmal atrial fibrillation not controlled by antiarrhythmic drugs: *editorial,* **531**
accessory pathways, The transseptal approach for ablation of cardiac arrhythmias: experience of 104 procedures, **379**
Unguarded tricuspid orifice with pulmonary atresia: successful radiofrequency ablation of an accessory pathway in an infant, **101**
ACE inhibitors, Present treatment options in congestive heart failure, **S24**
Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
acute myocardial infarction, Increased plasma adrenomedullin levels in patients with acute myocardial infarction in proportion to the clinical severity, **39**
Primary antiphospholipid syndrome with acute myocardial infarction recanalised by PTCA, **96**
acute myocardial syndrome, Human stress cardiomyopathy mimicking acute myocardial syndrome: *letter,* **530**
adrenergic receptors, Lipophilic versus hydrophilic β_1 blockers and the cardiac sympatho-vagal balance during stress and daily activity in patients after acute myocardial infarction, **153**
β adrenergic regulation, Pathophysiology of heart failure, **S3**
adrenomedullin, Increased plasma adrenomedullin levels in patients with acute myocardial infarction in proportion to the clinical severity, **39**
adult congenital heart disease, Balloon expandable stents for systemic venous pathway stenosis late after Mustard's operation, **225**
Congenitally corrected transposition of the great arteries in an 80 year old woman, **622**
Management of polycythaemia in adults with cyanotic congenital heart disease: *editorial,* **315**
akinesia, Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
albumin, The Fontan procedure: lessons from the past: *editorial,* **213**
alcohol, Myocardial infarction in young people with normal coronary arteries, **191**
ambulatory blood pressure monitoring, The clinical value of ambulatory blood pressure monitoring: *editorial,* **115**
amiodarone, Amiodarone and the thyroid: a practical guide to the management of thyroid dysfunction induced by amiodarone therapy: *review,* **121**
Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial,* **317**
Prognostic value of non-sustained ventricular tachycardia and the potential role of amiodarone treatment in hypertrophic cardiomyopathy: assessment in an unselected non-referral based patient population, **331**
Amplatzer septal occluder, Occlusion of Fontan fenestrations using the Amplatzer septal occluder, **368**
Transcatheter occlusion of a post-Fontan residual hepatic vein to pulmonary venous atrium communication using the Amplatzer septal occluder, **624**
amyloidosis, Familial and primary cardiac amyloidosis: echocardiographically similar diseases with distinctly different clinical outcomes: *letter,* **313**
aneurysm, Aneurysms and pseudoaneurysms of saphenous vein coronary artery bypass grafts, **505**
angina pectoris, Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**
Evaluation of technician supervised treadmill exercise testing in a cardiac chest pain clinic, **613**
angiography complications, Pseudoaneurysm of femoral artery after catheterisation: treatment by a mechanical compression device guided by colour Doppler ultrasound, **502**
angioplasty, Early and intermediate term clinical outcome after multiple coronary stenting, **29**
Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
Validation of an automated technique for determining the mechanical characteristics of coronary arteries during balloon angioplasty: laboratory assessment with necropsy segments, **608**
animal toxin, Haemodynamic patterns in patients with scorpion envenomation, **485**
annual check up, Transient hypertension in male adolescents when measured by a woman: *letter,* **104**
anomalous left pulmonary artery, Anomalous left pulmonary artery without pulmonary artery sling, **521**
anomalous origin of the left coronary artery, Septal ablation in a patient with hypertrophic obstructive cardiomyopathy and a unique variant of anomalous origin of the left coronary artery, **629**
antiarrhythmic agents, Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial,* **317**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
antibiotic treatment, Antibiotic treatment of streptococcal, enterococcal, and staphylococcal endocarditis, **207**
anticoagulant treatment, Screening for atrial fibrillation in primary care, **50**
antioxidants, Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**
aorta, Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation, **69**
aortic atheroma, Investigation of the thoracic aorta in cholesterol embolism by transoesophageal echocardiography, **133**
Ultrasonic imaging of aortic atheroma: *editorial,* **111**
aortic coarctation, Relation of biophysical response of coarcted aortic segment to balloon dilatation with development of recoarctation following balloon angioplasty of native coarctation, **407**
aortic valve replacement, Minimally invasive aortic valve replacement through a transverse sternotomy: a word of caution, **605**
aortocoronary bypass, Relation between left ventricular function and oxidative stress in patients undergoing bypass surgery, **242**
apoptosis, Apoptosis in cardiovascular disease: *letter,* **313**
arrhythmias, Sinus bradycardia and multiple episodes of sinus arrest following administration of ibutilide, **628**
Dual chamber single lead pacing: *editorial,* **217**
Familial atrial fibrillation with fetal onset, **195**
High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
Mechanisms of fetal tachycardia: *editorial,* **536**
Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
Sotalol associated polymorphic ventricular tachycardia and coronary spasm, **518**
The transseptal approach for ablation of cardiac arrhythmias: experience of 104 procedures, **379**
arrhythmogenic right ventricular dysplasia, Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin, **388**
arterial duct, Residual and recurrent shunts after implantation of Cook detachable duct occlusion coils, **220**
arterial switch operation, Late onset pulmonary valvar stenosis after arterial switch operation for transposition of the great arteries, **311**
aspirin, Blocking platelets more: are we skating on thin ice?: *editorial,* **5**
atherosclerosis, Cell adhesion molecules in cardiovascular disease: a clinical perspective: *review,* **429**
Coronary artery remodelling: *editorial,* **109**
Shrinkage of human coronary arteries is an important determinant of de novo atherosclerotic luminal stenosis: an in vivo intravascular ultrasound study, **143**
Tyrosine phosphorylation of platelet derived growth factor β receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris, **400**
athletes, High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
atrial arrhythmias, Sinus bradycardia and multiple episodes of sinus arrest following administration of ibutilide, **628**
atrial defibrillator, Distribution of fast heart rate episodes during paroxysmal atrial fibrillation, **497**
atrial fibrillation, Efficacy of a new balloon catheter for internal cardioversion of chronic atrial fibrillation without anaesthesia, **128**
Familial atrial fibrillation with fetal onset, **195**
Predictors of atrial rhythm after atrioventricular node ablation for the treatment of paroxysmal atrial arrhythmias, **548**
Screening for atrial fibrillation in primary care, **50**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
atrial flutter, Fetal tachycardias: management and outcome of 127 consecutive cases, **576**
Radiofrequency catheter ablation for atrial flutter following orthotopic heart transplantation, **412**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**

atrial natriuretic peptide, The role of the neurohormonal system in heart failure, **S17**
atrioventricular asynchrony, Effect of atrioventricular asynchrony on platelet activation: *letter,* **530**
atrioventricular block, Atrioventricular block occurring several months after radiofrequency ablation for the treatment of atrioventricular nodal re-entrant tachycardia, **616**
Importance and implications of the occurrence of AV block following radiofrequency ablation: *editorial,* **534**
atrioventricular fistula, Atrioventricular fistula: an unusual complication of a ventricular pseudoaneurysm after myocardial infarction, **523**
atrioventricular nodal re-entrant tachycardia, Atrioventricular block occurring several months after radiofrequency ablation for the treatment of atrioventricular nodal re-entrant tachycardia, **616**
atrioventricular node ablation, Atrioventricular nodal ablation and implantation of mode switching dual chamber pacemakers: effective treatment for drug refractory paroxysmal atrial fibrillation, **543**
Predictors of atrial rhythm after atrioventricular node ablation for the treatment of paroxysmal atrial arrhythmias, **548**
atrioventricular re-entrant tachycardia, Isoprenaline and inducibility of atrioventricular nodal re-entrant tachycardia, **165**
atrioventricular valve regurgitation, Long term follow up of patients with endomyocardial fibrosis: effects of surgery, **362**
atropine, Suppression of torsades de pointes by atropine, **99**
audit, Evaluation of technician supervised treadmill exercise testing in a cardiac chest pain clinic, **613**
Predicting operative risk for coronary artery surgery in the United Kingdom: a comparison of various risk prediction algorithms, **350**
autoantibodies, Cardiac autoimmunity in HIV related heart muscle disease, **599**
autoimmunity, Cardiac autoimmunity in HIV related heart muscle disease, **599**
automated flow volume determination, Determination of prestenotic flow volume using an automated method based on colour Doppler imaging for evaluating orifice area by the continuity equation: validation in a pulsatile flow model, **324**
autonomic cardiac function, Differential effects of defibrillation on systemic and cardiac sympathetic activity, **560**
autonomic control, Sudden death in hypertrophic cardiomyopathy: potential importance of altered autonomic control of vasculature: *editorial,* **538**

AV block, Suppression of torsades de pointes by atropine, **99**
AV conduction block, The heart in limb girdle muscular dystrophy, **73**
AV nodal re-entrant tachycardia, Importance and implications of the occurrence of AV block following radiofrequency ablation: *editorial,* **534**

balloon angioplasty, Clinical events following excimer laser angioplasty or balloon angioplasty for complex coronary lesions: subanalysis of a randomised trial, **34**
How to treat small coronary vessels with angioplasty: *editorial,* **215**
Relation of biophysical response of coarcted aortic segment to balloon dilatation with development of recoarctation following balloon angioplasty of native coarctation, **407**
baroreceptors, Lipophilic versus hydrophilic β, blockers and the cardiac sympatho-vagal balance during stress and daily activity in patients after acute myocardial infarction, **153**
bifid T waves, Bifid T waves induced by isoprenaline in a patient with Brugada syndrome, **305**
β blockers, Carvedilol treatment of chronic heart failure: a new era, **S31**
β Adrenoceptor blockade in congestive heart failure: future perspectives, **S35**
β Blockade in congestive heart failure, **S1**
β Blockers in heart failure: a comparison of a vasodilating β blocker with metoprolol, **86**
History of β blockers in congestive heart failure, **S29**
Prediction of the effectiveness of long term β blocker treatment for dilated cardiomyopathy by signal averaged electrocardiography, **256**
Present treatment options in congestive heart failure, **S24**
blood donation, Possible association of a reduction in cardiovascular events with blood donation: *letter,* **422**
blunt chest trauma, Cardiogenic refractory hypoxaemia secondary to blunt chest trauma: diagnosis by transoesophageal echocardiography, **527**
Left atrial thrombus as an early consequence of blunt chest trauma, **198**
bradycardia, Relation between bradycardia dependent long QT syndrome and QT prolongation by disopyramide in humans, **56**
British Society for Antimicrobial Chemotherapy, Antibiotic treatment of streptococcal, enterococcal, and staphylococcal endocarditis, **207**
Brugada syndrome, Bifid T waves induced by isoprenaline in a patient with Brugada syndrome, **305**

capillary, Luminal narrowing of coronary capillaries in human hypertrophic hearts: an ultrastructural morphometrical study using endomyocardial biopsy specimens, **78**
captopril, Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
cardiac arrest, Circumstances and causes of out-of-hospital cardiac arrest in sudden death survivors, **356**
cardiac catheterisation, A normal electrocardiogram precludes the need for left ventriculography in the assessment of coronary artery disease, **262**
cardiac echinococcosis, Rupture of a presumed hydatid cyst of the interventricular septum diagnosed by transoesophageal echocardiography, **420**
cardiac mapping, Angiographic and electrophysiological substrates for ventricular tachycardia mapping through the coronary veins, **59**
cardiac output, Cardiac output in 1998: *review,* **425**
Comparison of impedance cardiography and dye dilution method for measuring cardiac output, **437**
cardiac power output, Physiological cardiac reserve: development of a non-invasive method and first estimates in man, **289**
cardiac reserve, Physiological cardiac reserve: development of a non-invasive method and first estimates in man, **289**
cardiac surgery, Analysis of deaths while waiting for cardiac surgery among 29 293 consecutive patients in Ontario, Canada, **345**
Minimally invasive aortic valve replacement through a transverse sternotomy: a word of caution, **605**
Predicting operative risk for coronary artery surgery in the United Kingdom: a comparison of various risk prediction algorithms, **350**
cardiac technician, Evaluation of technician supervised treadmill exercise testing in a cardiac chest pain clinic, **613**
cardiomyopathy, Cardiac involvement in proximal myotonic myopathy, **619**
Luminal narrowing of coronary capillaries in human hypertrophic hearts: an ultrastructural morphometrical study using endomyocardial biopsy specimens, **78**
The heart in limb girdle muscular dystrophy, **73**
cardiopulmonary resuscitation, Circumstances and causes of out-of-hospital cardiac arrest in sudden death survivors, **356**
cardiovascular risk factors, Possible association of a reduction in cardiovascular events with blood donation: *letter,* **422**
cardioversion, Predictors of atrial rhythm after atrioventricular node ablation for the treatment of paroxysmal atrial arrhythmias, **548**
cardioverter defibrillator, Subpectoral implantation of cardioverter defibrillators under local anaesthesia, **253**
carvedilol, Carvedilol treatment of chronic heart failure: a new era, **S31**
CATCH 22, Monosomy 22q11 in patients with pulmonary atresia, ventricular septal defect, and major aortopulmonary collateral arteries, **180**
catecholamines, Differential effects of defibrillation on systemic and cardiac sympathetic activity, **560**
catheter, Efficacy of a new balloon catheter for internal cardioversion of chronic atrial fibrillation without anaesthesia, **128**
cavernous haemangioma, Cavernous haemangioma in the coronary sinus, **516**
cavopulmonary connection, Reopening of persistent left superior caval vein after bidirectional cavopulmonary connections, **509**
celiprolol, β Blockers in heart failure: a comparison of a vasodilating β blocker with metoprolol, **86**
cell adhesion molecules, Cell adhesion molecules in cardiovascular disease: a clinical perspective: *review,* **429**
Cheyne-Stokes respiration, Nocturnal desaturation in patients with stable heart failure, **394**
children, Anomalous left pulmonary artery without pulmonary artery sling, **521**
Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation, **69**
Nitric oxide, oxygen, and prostacyclin in children with pulmonary hypertension, **169**
Prevalence of ventricular preexcitation in Japanese schoolchildren, **374**
Recovery pattern of left ventricular dysfunction following radiofrequency ablation of incessant supraventricular tachycardia in infants and children, **588**
Rotational ablation assisted angioplasty of an obstructed aortopulmonary collateral artery, **203**
cholesterol embolism, Cholesterol embolisation: *editorial,* **113**
Investigation of the thoracic aorta in cholesterol embolism by transoesophageal echocardiography, **133**
cilazapril, Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
circadian rhythm, Circadian rhythm of the signal averaged electrocardiogram and its relation to heart rate variability in healthy subjects, **493**
clinical outcome, Early and intermediate term clinical outcome after multiple coronary stenting, **29**
clonidine, Malignant vasovagal syncope: a randomised trial of metoprolol and clonidine: *letter,* **105**
clopidogrel, Blocking platelets more: are we skating on thin ice?: *editorial,* **5**

coagulation, The Fontan procedure: lessons from the past: *editorial,* 213
coil embolisation, Recanalisation after coil embolisation of persistent ductus arteriosus, 308
coil occlusion, Residual and recurrent shunts after implantation of Cook detachable duct occlusion coils, 220
congenital disease, Congenital morphologies of the aortic valve, 592
congenital heart disease, Anomalous left pulmonary artery without pulmonary artery sling, 521
Congenitally corrected transposition of the great arteries in an 80 year old woman, 622
Does restrictive right ventricular physiology in the early postoperative period predict subsequent right ventricular restriction after repair of tetralogy of Fallot?, 481
Increasing workload and changing referral patterns in paediatric cardiology outreach clinics: implications for consultant staffing, 223
Late onset pulmonary valvar stenosis after arterial switch operation for transposition of the great arteries, 311
Nitric oxide, oxygen, and prostacyclin in children with pulmonary hypertension, 169
Occlusion of Fontan fenestrations using the Amplatzer septal occluder, 368
Outcome after prenatal diagnosis of the hypoplastic left heart syndrome, 371
Relation of genotype 22q11 deletion to phenotype of pulmonary vessels in tetralogy of Fallot and pulmonary atresia–ventricular septal defect, 186
Reopening of persistent left superior caval vein after bidirectional cavopulmonary connections, 509
Residual and recurrent shunts after implantation of Cook detachable duct occlusion coils, 220
Rotational ablation assisted angioplasty of an obstructed aortopulmonary collateral artery, 203
The Fontan procedure: lessons from the past: *editorial,* 213
Transcatheter occlusion of a post-Fontan residual hepatic vein to pulmonary venous atrium communication using the Amplatzer septal occluder, 624
Truncus arteriosus with anterior origin of a hypoplastic main pulmonary artery, 513
congestive heart failure, Physiological cardiac reserve: development of a non-invasive method and first estimates in man, 289
Quality of life in chronic heart failure: cilazapril and captopril versus placebo, 593
conotruncal anomaly face syndrome, Monosomy 22q11 in patients with pulmonary atresia, ventricular septal defect, and major aortopulmonary collateral arteries, 180
coronary angiography, A prioritisation system for elective coronary angiography, 448
Angiographic and electrophysiological substrates for ventricular tachycardia mapping through the coronary veins, 59
coronary angioplasty, How to treat small coronary vessels with angioplasty: *editorial,* 215
coronary arteries, Shrinkage of human coronary arteries is an important determinant of de novo atherosclerotic luminal stenosis: an in vivo intravascular ultrasound study, 143
Validation of an automated technique for determining the mechanical characteristics of coronary arteries during balloon angioplasty: laboratory assessment with necropsy segments, 608
coronary artery bypass graft, Aneurysms and pseudoaneurysms of saphenous vein coronary artery bypass grafts, 505
coronary artery bypass surgery, Are patients with poor left ventricular function more prone to oxidative stress during cardiac surgery?: *commentary,* 219
coronary artery disease, Abnormal ventricular activation and repolarisation during dobutamine stress echocardiography in coronary artery disease, 468
Atherosclerotic coronary lesions with inadequate compensatory enlargement have smaller plaque and vessel volumes: observations with three dimensional intravascular ultrasound in vivo, 137
Electrocardiographic measures of ventricular repolarisation dispersion in patients with coronary artery disease susceptible to ventricular fibrillation, 554
Helicobacter pylori and coronary artery disease: *letter,* 313
Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure, 281
Stents are used too often: *viewpoint,* 541
coronary artery dissection, A young mother with severe chest pain, 205
coronary fistulas, Cavernous haemangioma in the coronary sinus, 516
coronary occlusion, The risk of coronary occlusion is not proportional to the prior severity of coronary stenoses: *editorial,* 3
coronary sinus, Cavernous haemangioma in the coronary sinus, 516
coronary spasm, Sotalol associated polymorphic ventricular tachycardia and coronary spasm, 518
coronary stenting, Procedural and follow up results with a new balloon expandable stent in unselected lesions, 234
coronary vasospasm, Myocardial infarction in young people with normal coronary arteries, 191
corrected transposition of the great arteries, Congenitally corrected transposition of the great arteries in an 80 year old woman, 622
cost-effectiveness, Effectiveness and cost-effectiveness of single bolus treatment with abciximab (ReoPro) in preventing restenosis following percutaneous transluminal coronary angioplasty in high risk patients, 12
Enthusiasm, reality, and cost-effectiveness analysis: *editorial,* 9
Murmurs from the heart (or why the stethoscope is not an economic tool): *editorial,* 10
Using cost-effectiveness for subsidy decisions: *editorial,* 7
critical aortic stenosis, Traumatic damage to the mitral valve during percutaneous balloon valvotomy for critical aortic stenosis, 200
cystic medial necrosis, Relation of biophysical response of coarcted aortic segment to balloon dilatation with development of recoarctation following balloon angioplasty of native coarctation, 407
cytokines, Immune responses in endocarditis: *editorial,* 1
Serum cytokines and cardiovascular risk factors: *letter,* 422

defibrillation, Differential effects of defibrillation on systemic and cardiac sympathetic activity, 560
Efficacy of a new balloon catheter for internal cardioversion of chronic atrial fibrillation without anaesthesia, 128
digitalis, Present treatment options in congestive heart failure, S24
digoxin, Distribution of fast heart rate episodes during paroxysmal atrial fibrillation, 497
Ventriculo-atrial time interval measured on M mode echocardiography: a determining element in diagnosis, treatment, and prognosis of fetal supraventricular tachycardia, 582
dilated cardiomyopathy, Cardiac autoimmunity in HIV related heart muscle disease, 599
Long term survival effect of metoprolol in dilated cardiomyopathy, 337
Prediction of the effectiveness of long term β blocker treatment for dilated cardiomyopathy by signal averaged electrocardiography, 256
directional coronary atherectomy, Tyrosine phosphorylation of platelet derived growth factor β receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris, 400
disopyramide, Relation between bradycardia dependent long QT syndrome and QT prolongation by disopyramide in humans, 56
dispersion, Enhanced dispersion of epicardial activation–recovery intervals at sites of histological inhomogeneity during regional cardiac ischaemia and reperfusion, 474
diuretics, Present treatment options in congestive heart failure, S24
dobutamine echocardiography, Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure, 281
Doppler echocardiography, Determination of prestenotic flow volume using an automated method based on colour Doppler imaging for evaluating orifice area by the continuity equation: validation in a pulsatile flow model, 324
drug refractoriness, Atrioventricular nodal ablation and implantation of mode switching dual chamber pacemakers: effective treatment for drug refractory paroxysmal atrial fibrillation, 543
dual chamber pacemaker, Atrioventricular nodal ablation and implantation of mode switching dual chamber pacemakers: effective treatment for drug refractory paroxysmal atrial fibrillation, 543
Ventricular pacemaker upgrade: experience, complications and recommendations, 383
dual chamber pacing, Dual chamber single lead pacing: *editorial,* 217
dye dilution, Comparison of impedance cardiography and dye dilution method for measuring cardiac output, 437
dyskinesia, Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, 268

early afterdepolarisations, Clinical suppression of bradycardia dependent premature ventricular contractions by the potassium channel opener nicorandil, 64
echocardiography, Assessment of myocardial perfusion and contractile function by inotropic stress Tc-99m sestamibi SPECT imaging and echocardiography for optimal detection of multivessel coronary artery disease, 274
Diagnosis of heart failure, S10
Familial and primary cardiac amyloidosis: echocardiographically similar diseases with distinctly different clinical outcomes: *letter,* 313
Recovery pattern of left ventricular dysfunction following radiofrequency ablation of incessant supraventricular tachycardia in infants and children, 588
Truncus arteriosus with anterior origin of a hypoplastic main pulmonary artery, 513
elderly men, High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, 161
electrocardiogram, A normal electrocardiogram precludes the need for left ventriculography in the assessment of coronary artery disease, 262

electrocardiography, Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin, **388**
electrophysiology, Importance and implications of the occurrence of AV block following radiofrequency ablation: *editorial,* **534**
embryology, Anomalous left pulmonary artery without pulmonary artery sling, **521**
endocardial resection, Long term follow up of patients with endomyocardial fibrosis: effects of surgery, **362**
endocarditis, Antibiotic treatment of streptococcal, enterococcal, and staphylococcal endocarditis, **207**
Dietary precautions and listeria endocarditis?: *letter,* **206**
Granulocyte colony stimulating factor in neutropenic patients with infective endocarditis, **93**
Hospital acquired native valve endocarditis: analysis of 22 cases presenting over 11 years, **442**
Immune responses in endocarditis: *editorial,* **1**
endomyocardial biopsy, Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin, **388**
endomyocardial fibrosis, Long term follow up of patients with endomyocardial fibrosis: effects of surgery, **362**
epicardial activation–recovery interval, Enhanced dispersion of epicardial activation–recovery intervals at sites of histological inhomogeneity during regional cardiac ischaemia and reperfusion, **474**
epidemiology, Epidemiological burden of heart failure, **S6**
Is metabolic syndrome a discrete entity in the general population? Evidence from the Caerphilly and Speedwell population studies, **248**
Prevalence of ventricular preexcitation in Japanese schoolchildren, **374**
evolution, Does restrictive right ventricular physiology in the early postoperative period predict subsequent right ventricular restriction after repair of tetralogy of Fallot?, **481**
excimer laser angioplasty, Clinical events following excimer laser angioplasty or balloon angioplasty for complex coronary lesions: subanalysis of a randomised trial, **34**
exercise, High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
exercise stress testing, Evaluation of technician supervised treadmill exercise testing in a cardiac chest pain clinic, **613**

familial amyloidosis, Familial and primary cardiac amyloidosis: echocardiographically similar diseases with distinctly different clinical outcomes: *letter,* **313**
familial arrhythmias, Familial atrial fibrillation with fetal onset, **195**
fax machines, Fool proof fax facilities: a valuable tool in thrombolysis decision making: *letter,* **314**
femoral artery, Pseudoaneurysm of femoral artery after catheterisation: treatment by a mechanical compression device guided by colour Doppler ultrasound, **502**
FemoStop, Pseudoaneurysm of femoral artery after catheterisation: treatment by a mechanical compression device guided by colour Doppler ultrasound, **502**
fenestration occlusion, Occlusion of Fontan fenestrations using the Amplatzer septal occluder, **368**
fetal atrial fibrillation, Familial atrial fibrillation with fetal onset, **195**
fetal tachycardia, Fetal tachycardias: management and outcome of 127 consecutive cases, **576**
Mechanisms of fetal tachycardia: *editorial,* **536**
fetus, Outcome after prenatal diagnosis of the hypoplastic left heart syndrome, **371**
Ventriculo-atrial time interval measured on M mode echocardiography: a determining element in diagnosis, treatment, and prognosis of fetal supraventricular tachycardia, **582**
fibroelastoma, Fibroelastoma: case report and review of the literature, **301**
Fontan circulation, Occlusion of Fontan fenestrations using the Amplatzer septal occluder, **368**
Fontan procedure, Reopening of persistent left superior caval vein after bidirectional cavopulmonary connections, **509**
The Fontan procedure: lessons from the past: *editorial,* **213**
Transcatheter occlusion of a post-Fontan residual hepatic vein to pulmonary venous atrium communication using the Amplatzer septal occluder, **624**
f-QRS duration, Circadian rhythm of the signal averaged electrocardiogram and its relation to heart rate variability in healthy subjects, **493**

genetic disorders, Cardiac involvement in proximal myotonic myopathy, **619**
glutathione, Relation between left ventricular function and oxidative stress in patients undergoing bypass surgery, **242**
grading cardiac transplant rejection, Grading of cardiac transplant rejection: *editorial,* **423**
granulocyte colony stimulating factor, Granulocyte colony stimulating factor in neutropenic patients with infective endocarditis, **93**

head up tilt test, Midodrine: a role in the management of neurocardiogenic syncope, **45**
heart failure, β Blockade in congestive heart failure, **S1**
β Blockers in heart failure: a comparison of a vasodilating β blocker with metoprolol, **86**
Long term survival effect of metoprolol in dilated cardiomyopathy, **337**
Nocturnal desaturation in patients with stable heart failure, **394**
Pathophysiology of heart failure, **S3**
Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure, **281**
heart rate variability, Circadian rhythm of the signal averaged electrocardiogram and its relation to heart rate variability in healthy subjects, **493**
High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
heart transplantation, Radiofrequency catheter ablation for atrial flutter following orthotopic heart transplantation, **412**
Helicobacter pylori, *Helicobacter pylori* and coronary artery disease: *letter,* **313**
hepatic vein, Transcatheter occlusion of a post-Fontan residual hepatic vein to pulmonary venous atrium communication using the Amplatzer septal occluder, **624**
hibernating myocardium, Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure, **281**
histology, Histological findings in non-hypertrophic cardiomyopathy associated with Noonan's syndrome: *letter,* **206**
history, History of β blockers in congestive heart failure, **S29**
HIV infection, Cardiac autoimmunity in HIV related heart muscle disease, **599**
hospital acquired infective endocarditis, Hospital acquired native valve endocarditis: analysis of 22 cases presenting over 11 years, **442**
human stress cardiomyopathy, Human stress cardiomyopathy mimicking acute myocardial syndrome: *letter,* **530**
hydatic cyst, Rupture of a presumed hydatid cyst of the interventricular septum diagnosed by transoesophageal echocardiography, **420**
hypereosinophilic syndrome, Long term follow up of patients with endomyocardial fibrosis: effects of surgery, **362**
hyperhomocysteinaemia, *Helicobacter pylori* and coronary artery disease: *letter,* **313**
hypertension, Transient hypertension in male adolescents when measured by a woman: *letter,* **104**
hypertrophic cardiomyopathy, Histological findings in non-hypertrophic cardiomyopathy associated with Noonan's syndrome: *letter,* **206**
Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial,* **317**
Prognostic value of non-sustained ventricular tachycardia and the potential role of amiodarone treatment in hypertrophic cardiomyopathy: assessment in an unselected non-referral based patient population, **331**
Sudden death in hypertrophic cardiomyopathy: potential importance of altered autonomic control of vasculature: *editorial,* **538**
hypertrophic obstructive cardiomyopathy, Septal ablation in a patient with hypertrophic obstructive cardiomyopathy and a unique variant of anomalous origin of the left coronary artery, **629**
hypertrophy, Luminal narrowing of coronary capillaries in human hypertrophic hearts: an ultrastructural morphometrical study using endomyocardial biopsy specimens, **78**
hypoplastic left heart syndrome, Outcome after prenatal diagnosis of the hypoplastic left heart syndrome, **371**
hypothyroidism, Amiodarone and the thyroid: a practical guide to the management of thyroid dysfunction induced by amiodarone therapy: *review,* **121**

ibutilide, Sinus bradycardia and multiple episodes of sinus arrest following administration of ibutilide, **628**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
iloprost, Treatment of pulmonary hypertension with the continuous infusion of a prostacyclin analogue, iloprost, **175**
Images in cardiology, An isolated single coronary artery, **515**
Cardiac papillary fibroelastoma with cerebral and coronary embolic events, **307**
Left atrial ball thrombus, **85**
Onion skin aneurysm of the aortic arch, **288**
Primary angioplasty and stenting of left main coronary occlusion, **528**
Pseudoaneurysm of the thoracic aorta presenting with angina: a late complication of aortic valve replacement, **310**
Rapid progression of pericardial malignant mesothelioma, **618**
Transoesophageal echocardiography diagnosis of a left coronary artery fistula draining into the right atrium, **416**
imaging, Imaging the thoracic aorta in the injured patient: *letter,* **631**
immune response, Immune responses in endocarditis: *editorial,* **1**

impedance cardiography, Comparison of impedance cardiography and dye dilution method for measuring cardiac output, **437**
incessant tachycardia, Recovery pattern of left ventricular dysfunction following radiofrequency ablation of incessant supraventricular tachycardia in infants and children, **588**
inotropic stress, Assessment of myocardial perfusion and contractile function by inotropic stress Tc-99m sestamibi SPECT imaging and echocardiography for optimal detection of multivessel coronary artery disease, **274**
insulin resistance, Is metabolic syndrome a discrete entity in the general population? Evidence from the Caerphilly and Speedwell population studies, **248**
internal cardioversion, Efficacy of a new balloon catheter for internal cardioversion of chronic atrial fibrillation without anaesthesia, **128**
interventional cardiology, Clinical events following excimer laser angioplasty or balloon angioplasty for complex coronary lesions: subanalysis of a randomised trial, **34**
Dealing with in-stent restenosis: *review,* **319**
Early and intermediate term clinical outcome after multiple coronary stenting, **29**
How to treat small coronary vessels with angioplasty: *editorial,* **215**
Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
Stents are used too often: *viewpoint,* **541**
intracardiac shunt, An unusual intracardiac shunt secondary to penetrating cardiac trauma, **525**
intracoronary stenting, Randomised trial of elective stenting after successful percutaneous transluminal coronary angioplasty of occluded coronary arteries, **18**
intravascular ultrasound, Atherosclerotic coronary lesions with inadequate compensatory enlargement have smaller plaque and vessel volumes: observations with three dimensional intravascular ultrasound in vivo, **137**
Characterisation of coronary atherosclerotic morphology by spectral analysis of radiofrequency signal: in vitro intravascular ultrasound study with histological and radiological validation, **459**
Coronary artery remodelling: *editorial,* **109**
Myocardial infarction in young people with normal coronary arteries, **191**
Procedural and follow up results with a new balloon expandable stent in unselected lesions, **234**
Shrinkage of human coronary arteries is an important determinant of de novo atherosclerotic luminal stenosis: an in vivo intravascular ultrasound study, **143**
Ultrasonic imaging of aortic atheroma: *editorial,* **111**
iron hypothesis, Possible association of a reduction in cardiovascular events with blood donation: *letter,* **422**
ischaemia, Enhanced dispersion of epicardial activation–recovery intervals at sites of histological inhomogeneity during regional cardiac ischaemia and reperfusion, **474**
ischaemia–reperfusion injury, Are patients with poor left ventricular function more prone to oxidative stress during cardiac surgery?: *commentary,* **219**
ischaemic heart disease, How to treat small coronary vessels with angioplasty: *editorial,* **215**
Is metabolic syndrome a discrete entity in the general population? Evidence from the Caerphilly and Speedwell population studies, **248**
The risk of coronary occlusion is not proportional to the prior severity of coronary stenoses: *editorial,* **3**
isoprenaline, Isoprenaline and inducibility of atrioventricular nodal re-entrant tachycardia, **165**
Malignant vasovagal syncope: a randomised trial of metoprolol and clonidine: *letter,* **105**

lactate, Differential effects of defibrillation on systemic and cardiac sympathetic activity, **560**
laser assisted balloon angioplasty, Clinical events following excimer laser angioplasty or balloon angioplasty for complex coronary lesions: subanalysis of a randomised trial, **34**
left atrial thrombus, Left atrial thrombus as an early consequence of blunt chest trauma, **198**
left main coronary artery disease, Stenting of "unprotected" left main coronary artery stenoses: early and late results, **148**
left ventricular dysfunction, Recovery pattern of left ventricular dysfunction following radiofrequency ablation of incessant supraventricular tachycardia in infants and children, **588**
left ventricular ejection fraction, A normal electrocardiogram precludes the need for left ventriculography in the assessment of coronary artery disease, **262**
left ventricular function, Randomised trial of elective stenting after successful percutaneous transluminal coronary angioplasty of occluded coronary arteries, **18**
left ventricular long axis, Left ventricular long axis disturbances as predictors for thallium perfusion defects in patients with known peripheral vascular disease, **295**
leucocyte, Cell adhesion molecules in cardiovascular disease: a clinical perspective: *review,* **429**
limb girdle muscular dystrophy, The heart in limb girdle muscular dystrophy, **73**
lipid peroxidation, Relation between left ventricular function and oxidative stress in patients undergoing bypass surgery, **242**
listeria, Dietary precautions and listeria endocarditis?: *letter,* **206**
local anaesthesia, Subpectoral implantation of a cardioverter defibrillator under local anaesthesia, **253**
long axis, Abnormal ventricular activation and repolarisation during dobutamine stress echocardiography in coronary artery disease, **468**
long QT syndrome, Prevention of torsade de pointes in the congenital long QT syndrome: use of a pause prevention pacing algorithm, **417**
Relation between bradycardia dependent long QT syndrome and QT prolongation by disopyramide in humans, **56**
Suppression of torsades de pointes by atropine, **99**
low density lipoprotein, Serum cytokines and cardiovascular risk factors: *letter,* **422**
lymphatics, The Fontan procedure: lessons from the past: *editorial,* **213**

major aortopulmonary collateral arteries, Monosomy 22q11 in patients with pulmonary atresia, ventricular septal defect, and major aortopulmonary collateral arteries, **180**
Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
Marfan syndrome, Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation, **69**
mechanoelectrical feedback, Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
metabolic syndrome, Is metabolic syndrome a discrete entity in the general population? Evidence from the Caerphilly and Speedwell population studies, **248**
metoprolol, β Blockers in heart failure: a comparison of a vasodilating β blocker with metoprolol, **86**
Malignant vasovagal syncope: a randomised trial of metoprolol and clonidine: *letter,* **105**
midodrine, Midodrine: a role in the management of neurocardiogenic syncope, **45**
minimally invasive surgery, Minimally invasive aortic valve replacement through a transverse sternotomy: a word of caution, **605**
mitral valve, Fibroelastoma: case report and review of the literature, **301**
Traumatic damage to the mitral valve during percutaneous balloon valvotomy for critical aortic stenosis, **200**
monophasic action potential, Bifid T waves induced by isoprenaline in a patient with Brugada syndrome, **305**
multivessel disease, Assessment of myocardial perfusion and contractile function by inotropic stress Tc-99m sestamibi SPECT imaging and echocardiography for optimal detection of multivessel coronary artery disease, **274**
Mustard procedure, Balloon expandable stents for systemic venous pathway stenosis late after Mustard's operation, **225**
Self expandable stents for relief of venous baffle obstruction after the Mustard operation, **230**
Stenting of systemic venous pathways after atrial repair for complete transposition: *editorial,* **211**
myocardial infarction, Lipophilic versus hydrophilic β_1 blockers and the cardiac sympatho-vagal balance during stress and daily activity in patients after acute myocardial infarction, **153**
Myocardial infarction in young people with normal coronary arteries, **191**
myocardial perfusion scintigraphy, Left ventricular long axis disturbances as predictors for thallium perfusion defects in patients with known peripheral vascular disease, **295**
myocarditis, Haemodynamic patterns in patients with scorpion envenomation, **485**
myocardium, Revision of the 1990 working formulation for cardiac allograft rejection: the Sheffield experience, **432**

native valve endocarditis, Hospital acquired native valve endocarditis: analysis of 22 cases presenting over 11 years, **442**
natriuretic peptides, Increased plasma adrenomedullin levels in patients with acute myocardial infarction in proportion to the clinical severity, **39**
natural history, Congenitally corrected transposition of the great arteries in an 80 year old woman, **622**
neck pounding, Neck pounding during sinus rhythm: a new clinical manifestation of dual atrioventricular nodal pathways, **490**
neurocardiogenic syncope, Midodrine: a role in the management of neurocardiogenic syncope, **45**
neurohormonal system, The role of the neurohormonal system in heart failure, **S17**
neutropenia, Granulocyte colony stimulating factor in neutropenic patients with infective endocarditis, **93**
nicorandil, Clinical suppression of bradycardia dependent premature ventricular contractions by the potassium channel opener nicorandil, **64**
nitric oxide, Nitric oxide, oxygen, and prostacyclin in children with pulmonary hypertension, **169**
nocturnal desaturation, Nocturnal desaturation in patients with stable heart failure, **394**

nodal conduction, Neck pounding during sinus rhythm: a new clinical manifestation of dual atrioventricular nodal pathways, **490**
nomogram, Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation, **69**
Noonan's syndrome, Histological findings in non-hypertrophic cardiomyopathy associated with Noonan's syndrome: *letter,* **206**

oxidative stress, Are patients with poor left ventricular function more prone to oxidative stress during cardiac surgery?: *commentary,* **219**
Relation between left ventricular function and oxidative stress in patients undergoing bypass surgery, **242**
oxygen consumption, Physiological cardiac reserve: development of a non-invasive method and first estimates in man, **289**
oxygen free radicals, Are patients with poor left ventricular function more prone to oxidative stress during cardiac surgery?: *commentary,* **219**

pacemaker mode, Predictors of atrial rhythm after atrioventricular node ablation for the treatment of paroxysmal atrial arrhythmias, **548**
pacemaker upgrade, Ventricular pacemaker upgrade: experience, complications and recommendations, **383**
pacing, Ablate and pace: a pragmatic approach to paroxysmal atrial fibrillation not controlled by antiarrhythmic drugs: *editorial,* **531**
Atrioventricular block occurring several months after radiofrequency ablation for the treatment of atrioventricular nodal re-entrant tachycardia, **616**
Prevention of torsade de pointes in the congenital long QT syndrome: use of a pause prevention pacing algorithm, **417**
Subpectoral implantation of cardioverter defibrillators under local anaesthesia, **253**
paediatric clinics, Increasing workload and changing referral patterns in paediatric cardiology outreach clinics: implications for consultant staffing, **223**
palpitations, Neck pounding during sinus rhythm: a new clinical manifestation of dual atrioventricular nodal pathways, **490**
paramedics, Circumstances and causes of out-of-hospital cardiac arrest in sudden death survivors, **356**
Reduction in time delays in administering thrombolytic treatment: *letter,* **422**
paroxysmal atrial fibrillation, Ablate and pace: a pragmatic approach to paroxysmal atrial fibrillation not controlled by antiarrhythmic drugs: *editorial,* **531**
Atrioventricular nodal ablation and implantation of mode switching dual chamber pacemakers: effective treatment for drug refractory paroxysmal atrial fibrillation, **543**
pathophysiology, Pathophysiology of heart failure, **S3**
PDGF receptors, Tyrosine phosphorylation of platelet derived growth factor β receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris, **400**
penetrating cardiac trauma, An unusual intracardiac shunt secondary to penetrating cardiac trauma, **525**
percutaneous balloon valvotomy, Traumatic damage to the mitral valve during percutaneous balloon valvotomy for critical aortic stenosis, **200**
percutaneous transluminal coronary angioplasty, Effectiveness and cost-effectiveness of single bolus treatment with abciximab (ReoPro) in preventing restenosis following percutaneous transluminal coronary angioplasty in high risk patients, **12**
Primary antiphospholipid syndrome with acute myocardial infarction recanalised by PTCA, **96**
Validation of an automated technique for determining the mechanical characteristics of coronary arteries during balloon angioplasty: laboratory assessment with necropsy segments, **608**
peripheral vascular disease, Left ventricular long axis disturbances as predictors for thallium perfusion defects in patients with known peripheral vascular disease, **295**
persistent ductus arteriosus, Recanalisation after coil embolisation of persistent ductus arteriosus, **308**
persistent left superior vena cava, Cavernous haemangioma in the coronary sinus, **516**
Reopening of persistent left superior caval vein after bidirectional cavopulmonary connections, **509**
platelets, Blocking platelets more: are we skating on thin ice?: *editorial,* **5**
Effect of atrioventricular asynchrony on platelet activation: *letter,* **530**
polycythaemia, Management of polycythaemia in adults with cyanotic congenital heart disease: *editorial,* **315**
polymorphic ventricular tachycardia, Sotalol associated polymorphic ventricular tachycardia and coronary spasm, **518**
positron emission tomography, Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure, **281**
postpartum myocardial infarction, A young mother with severe chest pain, **205**
preexcitation, Prevalence of ventricular preexcitation in Japanese schoolchildren, **374**
premature ventricular contractions, Clinical suppression of bradycardia dependent premature ventricular contractions by the potassium channel opener nicorandil, **64**
pressure–volume deformation, Validation of an automated technique for determining the mechanical characteristics of coronary arteries during balloon angioplasty: laboratory assessment with necropsy segments, **608**
prevention, Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**
primary antiphospholipid syndrome, Primary antiphospholipid syndrome with acute myocardial infarction recanalised by PTCA, **96**
primary care, Screening for atrial fibrillation in primary care, **50**
prioritisation, A prioritisation system for elective coronary angiography, **448**
prognosis, The clinical value of ambulatory blood pressure monitoring: *editorial,* **115**
prostacyclin, Nitric oxide, oxygen, and prostacyclin in children with pulmonary hypertension, **169**
Treatment of pulmonary hypertension with the continuous infusion of a prostacyclin analogue, iloprost, **175**
proximal myotonic myopathy, Cardiac involvement in proximal myotonic myopathy, **619**
pseudoaneurysm, Aneurysms and pseudoaneurysms of saphenous vein coronary artery bypass grafts, **505**
Atrioventricular fistula: an unusual complication of a ventricular pseudoaneurysm after myocardial infarction, **523**
Pseudoaneurysm of femoral artery after catheterisation: treatment by a mechanical compression device guided by colour Doppler ultrasound, **502**
puerperium, A young mother with severe chest pain, **205**
pulmonary artery sling, Anomalous left pulmonary artery without pulmonary artery sling, **521**
pulmonary atresia, Rotational ablation assisted angioplasty of an obstructed aortopulmonary collateral artery, **203**
pulmonary atresia and ventricular septal defect, Monosomy 22q11 in patients with pulmonary atresia, ventricular septal defect, and major aortopulmonary collateral arteries, **180**
Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
pulmonary embolism, Pulmonary thromboendarterectomy: *editorial,* **118**
pulmonary endarterectomy, Pulmonary thromboendarterectomy: *editorial,* **118**
pulmonary function, Diagnosis of heart failure, **S10**
pulmonary hypertension, Nitric oxide, oxygen, and prostacyclin in children with pulmonary hypertension, **S169**
Pulmonary thromboendarterectomy: *editorial,* **118**
Treatment of pulmonary hypertension with the continuous infusion of a prostacyclin analogue, iloprost, **175**
pulmonary oedema, Haemodynamic patterns in patients with scorpion envenomation, **485**
pulmonary thromboendarterectomy, Pulmonary thromboendarterectomy: *editorial,* **118**
pulmonary valve stenosis, Late onset pulmonary valvar stenosis after arterial switch operation for transposition of the great arteries, **311**
pulsatile flow model, Determination of prestenotic flow volume using an automated method based on colour Doppler imaging for evaluating orifice area by the continuity equation: validation in a pulsatile flow model, **324**

QRS duration, Abnormal ventricular activation and repolarisation during dobutamine stress echocardiography in coronary artery disease, **468**
QT dispersion, Electrocardiographic measures of ventricular repolarisation dispersion in patients with coronary artery disease susceptible to ventricular fibrillation, **554**
QTc interval, Abnormal ventricular activation and repolarisation during dobutamine stress echocardiography in coronary artery disease, **468**
quality of life, Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
quantitative angiography, Procedural and follow up results with a new balloon expandable stent in unselected lesions, **234**

radiofrequency ablation, Angiographic and electrophysiological substrates for ventricular tachycardia mapping through the coronary veins, **59**
Atrioventricular block occurring several months after radiofrequency ablation for the treatment of atrioventricular nodal re-entrant tachycardia, **616**
Importance and implications of the occurrence of AV block following radiofrequency ablation: *editorial,* **534**
Radiofrequency ablation of a fascicular tachycardia after orthotopic cardiac transplantation, **414**
Radiofrequency catheter ablation for atrial flutter following orthotopic heart transplantation, **412**
Recovery pattern of left ventricular dysfunction following radiofrequency ablation of incessant supraventricular tachycardia in infants and children, **588**
Unguarded tricuspid orifice with pulmonary atresia: successful radiofrequency ablation of an accessory pathway in an infant, **101**

radiofrequency data, Characterisation of coronary atherosclerotic morphology by spectral analysis of radiofrequency signal: in vitro intravascular ultrasound study with histological and radiological validation, **459**
randomised controlled trial, Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
randomised trial, Clinical events following excimer laser angioplasty or balloon angioplasty for complex coronary lesions: subanalysis of a randomised trial, **34**
rationing, Analysis of deaths while waiting for cardiac surgery among 29 293 consecutive patients in Ontario, Canada, **345**
recanalisation, Recanalisation after coil embolisation of persistent ductus arteriosus, **308**
recoarctation, Relation of biophysical response of coarcted aortic segment to balloon dilatation with development of recoarctation following balloon angioplasty of native coarctation, **407**
reference values, The clinical value of ambulatory blood pressure monitoring: *editorial,* **115**
rejection, Grading of cardiac transplant rejection: *editorial,* **423**
remodelling, Atherosclerotic coronary lesions with inadequate compensatory enlargement have smaller plaque and vessel volumes: observations with three dimensional intravascular ultrasound in vivo, **137**
Carvedilol treatment of chronic heart failure: a new era, **S31**
Coronary artery remodelling: *editorial,* **109**
Pathophysiology of heart failure, **S3**
Shrinkage of human coronary arteries is an important determinant of de novo atherosclerotic luminal stenosis: an in vivo intravascular ultrasound study, **143**
restenosis, Dealing with in-stent restenosis: *review,* **319**
Enthusiasm, reality, and cost-effectiveness analysis: *editorial,* **9**
Procedural and follow up results with a new balloon expandable stent in unselected lesions, **234**
Tyrosine phosphorylation of platelet derived growth factor β receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris, **400**
Using cost-effectiveness for subsidy decisions: *editorial,* **7**
restrictive right ventricular physiology, Does restrictive right ventricular physiology in the early postoperative period predict subsequent right ventricular restriction after repair of tetralogy of Fallot?, **481**
risk factors, Epidemiological burden of heart failure, **S6**
Serum cytokines and cardiovascular risk factors: *letter,* **422**
The risk of coronary occlusion is not proportional to the prior severity of coronary stenoses: *editorial,* **3**
risk stratification, Predicting operative risk for coronary artery surgery in the United Kingdom: a comparison of various risk prediction algorithms, **350**
rotational ablation, Rotational ablation assisted angioplasty of an obstructed aortopulmonary collateral artery, **203**
rotational atherectomy, Dealing with in-stent restenosis: *review,* **319**

saphenous vein grafts, Aneurysms and pseudoaneurysms of saphenous vein coronary artery bypass grafts, **505**
sarcoglycan, The heart in limb girdle muscular dystrophy, **73**
scorpion sting, Haemodynamic patterns in patients with scorpion envenomation, **485**
screening, Is metabolic syndrome a discrete entity in the general population? Evidence from the Caerphilly and Speedwell population studies, **248**
segmental wall motion, Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
Senning operation, Stenting of systemic venous pathways after atrial repair for complete transposition: *editorial,* **211**
septal ablation, Septal ablation in a patient with hypertrophic obstructive cardiomyopathy and a unique variant of anomalous origin of the left coronary artery, **629**
sex differences, Transient hypertension in male adolescents when measured by a woman: *letter,* **104**
shock delivery, Distribution of fast heart rate episodes during paroxysmal atrial fibrillation, **497**
signal averaged ECG, Circadian rhythm of the signal averaged electrocardiogram and its relation to heart rate variability in healthy subjects, **493**
Prediction of the effectiveness of long term β blocker treatment for dilated cardiomyopathy by signal averaged electrocardiography, **256**
single chamber pacemaker, Ventricular pacemaker upgrade: experience, complications and recommendations, **383**
single lead pacing, Dual chamber single lead pacing: *editorial,* **217**
small coronary vessels, How to treat small coronary vessels with angioplasty: *editorial,* **215**
sotalol, Sotalol associated polymorphic ventricular tachycardia and coronary spasm, **518**
Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
SPECT imaging, Assessment of myocardial perfusion and contractile function by inotropic stress Tc-99m sestamibi SPECT imaging and echocardiography for optimal detection of multivessel coronary artery disease, **274**
spectral analysis, Characterisation of coronary atherosclerotic morphology by spectral analysis of radiofrequency signal: in vitro intravascular ultrasound study with histological and radiological validation, **459**
Stamps in cardiology, Antismoking campaigns, **533**
Atherosclerosis and myocardial infarction, **218**
Cardiopulmonary resuscitation, **330**
Hypertension, **428**
The electrocardiogram on stamps (part 1), **8**
The electrocardiogram on stamps (part 2), **114**
stenosis, The risk of coronary occlusion is not proportional to the prior severity of coronary stenoses: *editorial,* **3**
stents, Balloon expandable stents for systemic venous pathway stenosis late after Mustard's operation, **225**
Dealing with in-stent restenosis: *review,* **319**
Early and intermediate term clinical outcome after multiple coronary stenting, **29**
Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
Self expandable stents for relief of venous baffle obstruction after the Mustard operation, **230**
Stents are used too often: *viewpoint,* **541**
Stenting of systemic venous pathways after atrial repair for complete transposition: *editorial,* **211**
Stenting of "unprotected" left main coronary artery stenoses: early and late results, **148**
stress, Lipophilic versus hydrophilic β_1 blockers and the cardiac sympatho-vagal balance during stress and daily activity in patients after acute myocardial infarction, **153**
stress echocardiography, Abnormal ventricular activation and repolarisation during dobutamine stress echocardiography in coronary artery disease, **468**
subpectoral implantation, Subpectoral implantation of a cardioverter defibrillator under local anaesthesia, **253**
sudden death, Circumstances and causes of out-of-hospital cardiac arrest in sudden death survivors, **356**
Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial,* **317**
Sudden death in hypertrophic cardiomyopathy: potential importance of altered autonomic control of vasculature: *editorial,* **538**
supravalvar aortic stenosis, Supravalvar aortic stenosis: unexpected findings at surgery, **627**
supraventricular tachycardia, Fetal tachycardias: management and outcome of 127 consecutive cases, **576**
Mechanisms of fetal tachycardia: *editorial,* **536**
Ventriculo-atrial time interval measured on M mode echocardiography: a determining element in diagnosis, treatment, and prognosis of fetal supraventricular tachycardia, **582**
systemic venous baffle stenosis, Balloon expandable stents for systemic venous pathway stenosis late after Mustard's operation, **225**

tachyarrhythmias, Radiofrequency ablation of a fascicular tachycardia after orthotopic cardiac transplantation, **414**
tetralogy of Fallot, Does restrictive right ventricular physiology in the early postoperative period predict subsequent right ventricular restriction after repair of tetralogy of Fallot?, **481**
Relation of genotype 22q11 deletion to phenotype of pulmonary vessels in tetralogy of Fallot and pulmonary atresia–ventricular septal defect, **186**
thallium-201, Left ventricular long axis disturbances as predictors for thallium perfusion defects in patients with known peripheral vascular disease, **295**
thromboembolism, Effect of atrioventricular asynchrony on platelet activation: *letter,* **530**
Left atrial thrombus as an early consequence of blunt chest trauma, **198**
thrombolytic treatment, Fool proof fax facilities: a valuable tool in thrombolysis decision making: *letter,* **314**
Reduction in time delays in administering thrombolytic treatment: *letter,* **422**
thrombosis, Cell adhesion molecules in cardiovascular disease: a clinical perspective: *review,* **429**
thyroid, Amiodarone and the thyroid: a practical guide to the management of thyroid dysfunction induced by amiodarone therapy: *review,* **121**
thyrotoxicosis, Amiodarone and the thyroid: a practical guide to the management of thyroid dysfunction induced by amiodarone therapy: *review,* **121**
ticlodipine, Blocking platelets more: are we skating on thin ice?: *editorial,* **5**
tilt testing, Malignant vasovagal syncope: a randomised trial of metoprolol and clonidine: *letter,* **105**
tissue characterisation, Characterisation of coronary atherosclerotic morphology by spectral analysis of radiofrequency signal: in vitro intravascular ultrasound study with histological and radiological validation, **459**

torsade de pointes, Prevention of torsade de pointes in the congenital long QT syndrome: use of a pause prevention pacing algorithm, **417**
Sotalol associated polymorphic ventricular tachycardia and coronary spasm, **518**
Suppression of torsades de pointes by atropine, **99**
total coronary occlusion, Randomised trial of elective stenting after successful percutaneous transluminal coronary angioplasty of occluded coronary arteries, **18**
transient ischaemic attack, Fibroelastoma: case report and review of the literature, **301**
transoesophageal echocardiography, An unusual intracardiac shunt secondary to penetrating cardiac trauma, **525**
Cardiogenic refractory hypoxaemia secondary to blunt chest trauma: diagnosis by transoesophageal echocardiography, **527**
Imaging the thoracic aorta in the injured patient: *letter,* **631**
Investigation of the thoracic aorta in cholesterol embolism by transoesophageal echocardiography, **133**
Left atrial thrombus as an early consequence of blunt chest trauma, **198**
Rupture of a presumed hydatid cyst of the interventricular septum diagnosed by transoesophageal echocardiography, **420**
transoesophageal ultrasound, Ultrasonic imaging of aortic atheroma: *editorial,* **111**
transplant rejection, Revision of the 1990 working formulation for cardiac allograft rejection: the Sheffield experience, **432**
transplantation, Grading of cardiac transplant rejection: *editorial,* **423**
Radiofrequency ablation of a fascicular tachycardia after orthotopic cardiac transplantation, **414**
Revision of the 1990 working formulation for cardiac allograft rejection: the Sheffield experience, **432**
transposition of the great arteries, Late onset pulmonary valvar stenosis after arterial switch operation for transposition of the great arteries, **311**
transseptal ablation, The transseptal approach for ablation of cardiac arrhythmias: experience of 104 procedures, **379**
trauma, Imaging the thoracic aorta in the injured patient: *letter,* **631**
truncus arteriosus, Truncus arteriosus with anterior origin of a hypoplastic main pulmonary artery, **513**
TUNEL, Apoptosis in cardiovascular disease: *letter,* **313**

ultrasonics, Atherosclerotic coronary lesions with inadequate compensatory enlargement have smaller plaque and vessel volumes: observations with three dimensional intravascular ultrasound in vivo, **137**
ultrastructure, Luminal narrowing of coronary capillaries in human hypertrophic hearts: an ultrastructural morphometrical study using endomyocardial biopsy specimens, **78**
unguarded tricuspid orifice, Unguarded tricuspid orifice with pulmonary atresia: successful radiofrequency ablation of an accessory pathway in an infant, **101**

valvar stenoses, Determination of prestenotic flow volume using an automated method based on colour Doppler imaging for evaluating orifice area by the continuity equation: validation in a pulsatile flow model, **324**
valve disease, Congenital morphologies of the aortic valve, **592**
Supravalvar aortic stenosis: unexpected findings at surgery, **627**
vasodilatation, Treatment of pulmonary hypertension with the continuous infusion of a prostacyclin analogue, iloprost, **175**
vasodilators, Carvedilol treatment of chronic heart failure: a new era, **S31**
Present treatment options in congestive heart failure, **S24**
vena cava obstruction, Stenting of systemic venous pathways after atrial repair for complete transposition: *editorial,* **211**
venous baffle obstruction, Self expandable stents for relief of venous baffle obstruction after the Mustard operation, **230**
ventricular arrhythmias, Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin, **388**
ventricular ectopic beats, Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
ventricular fibrillation, Bifid T waves induced by isoprenaline in a patient with Brugada syndrome, **305**
Electrocardiographic measures of ventricular repolarisation dispersion in patients with coronary artery disease susceptible to ventricular fibrillation, **554**
Prevention of torsade de pointes in the congenital long QT syndrome: use of a pause prevention pacing algorithm, **417**
ventricular proarrhythmia, Distribution of fast heart rate episodes during paroxysmal atrial fibrillation, **497**
ventricular tachycardia, Angiographic and electrophysiological substrates for ventricular tachycardia mapping through the coronary veins, **59**
Cardiac involvement in proximal myotonic myopathy, **619**
Prevention of torsade de pointes in the congenital long QT syndrome: use of a pause prevention pacing algorithm, **417**
Prognostic value of non-sustained ventricular tachycardia and the potential role of amiodarone treatment in hypertrophic cardiomyopathy: assessment in an unselected non-referral based patient population, **331**
ventriculo-atrial interval, Ventriculo-atrial time interval measured on M mode echocardiography: a determining element in diagnosis, treatment, and prognosis of fetal supraventricular tachycardia, **582**
vitamin supplements, Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**

waiting lists, Analysis of deaths while waiting for cardiac surgery among 29 293 consecutive patients in Ontario, Canada, **345**
white coat hypertension, The clinical value of ambulatory blood pressure monitoring: *editorial,* **115**
Wolff-Parkinson-White syndrome, Prevalence of ventricular preexcitation in Japanese schoolchildren, **374**
workload, Increasing workload and changing referral patterns in paediatric cardiology outreach clinics: implications for consultant staffing, **223**

VOLUME 79 • AUTHOR INDEX

Abe A *see* Furushima H *et al*
Abe J *et al*. Tyrosine phosphorylation of platelet derived growth factor β receptors in coronary artery lesions: implications for vascular remodelling after directional coronary atherectomy and unstable angina pectoris, **400**
Agape V *see* de Vecchi E *et al*
Airiian SG *see* von Birgelen C *et al*
Aizawa Y *see* Furushima H *et al*
see Washizuka T *et al*
Akamine S *see* Higenbottam TW *et al*
Albanes D *see* Rapola JM *et al*
Aldershvile J *see* Borgbjerg BM *et al*
Alferness CA *see* Hnatkova K *et al*
Allan LD *et al*. Outcome after prenatal diagnosis of the hypoplastic left heart syndrome, **371**
Allen V *see* Murray A *et al*
Almagor Y *see* di Mario C *et al*
Al-Mohammad A *see* Mahy IR *et al*
Al-Mohammad A *et al*. Fibroelastoma: case report and review of the literature, **301**
Alt E *et al*. Efficacy of a new balloon catheter for internal cardioversion of chronic atrial fibrillation without anaesthesia, **128**
Al-Timman JK *see* Cooke GA *et al*
Amano T *see* Sano S *et al*
Ambrose JA, Fuster V. The risk of coronary occlusion is not proportional to the prior severity of coronary stenoses: *editorial*, **3**
Amin NB *et al*. Sinus bradycardia and multiple episodes of sinus arrest following administration of ibutilide, **628**
Ammer R *see* Alt E *et al*
Anagnostopoulos C *see* Henein MY *et al*
Anagnostou E *see* Wheeldon NM *et al*
Andries E *see* Geelen P *et al*
Apfel HD *see* Allan LD *et al*
Appelman YEA *et al*. Clinical events following excimer laser angioplasty or balloon angioplasty for complex coronary lesions: subanalysis of a randomised trial, **34**
Aristides M *et al*. Effectiveness and cost-effectiveness of single bolus treatment with abciximab (ReoPro) in preventing restenosis following percutaneous transluminal coronary angioplasty in high risk patients, **12**
Murmurs from the heart (or why the stethoscope is not an economic tool): *editorial*, **10**
Arita M *see* Takahashi N *et al*
Arnold R *see* Bu'lock FA *et al*
see Tofeig M *et al*

Baig MK *see* Currie PF *et al*
Bainton D *see* Yarnell JWG *et al*
Bal ET *see* Laruelle CJJ *et al*
Ballerini L *see* Santoro G *et al*
Banning AP. Primary angioplasty and stenting of left main coronary occlusion, **528**
Banning AP *et al*. Cholesterol embolisation: *editorial*, **113**
Baron J *see* Gershlick AH and Baron J
Barth PG *see* van der Kooi AJ *et al*
Baudouy M *see* Ferrari E *et al*
Bedossa M *see* le Breton H *et al*
Beevers DG *see* Gibbs CR *et al*
Beghetti M *et al*. Left atrial ball thrombus, **85**
Beliard JM *see* le Breton H *et al*
Bennett DH *see* Khan MA *et al*
Bennett MK *see* Murray A *et al*
Bennett MR, Boyle JJ. Apoptosis in cardiovascular disease: *letter*, **313**
Bensky AS, Velvis H. Truncus arteriosus with anterior origin of a hypoplastic main pulmonary artery, **513**
Bernobich E *see* di Lenarda A *et al*
Beuckelmann DJ *see* Hoppe UC *et al*
Bode F *et al*. Differential effects of defibrillation on systemic and cardiac sympathetic activity, **560**
Böhm M *see* Hoppe UC *et al*
Bonhoeffer P *see* Chessa M *et al*
Bonini PA *see* de Vecchi E *et al*
Bonnet D *see* Chessa M *et al*
Bonser RS *see* Pagano D *et al*
see Pitt MPI *et al*
Boon NA *see* Currie PF *et al*
Borgbjerg BM *et al*. Granulocyte colony stimulating factor in neutropenic patients with infective endocarditis, **93**
Borst C *see* Smits PC *et al*
Borzak S *see* Amin NB *et al*
Bos L *see* Smits PC *et al*
Bostock J *see* Magee AG *et al*
Bourke JP *see* Gribbin GM *et al*
Bouvier F *see* Jensen-Urstad K *et al*
Boyle JJ *see* Bennett MR and Boyle JJ
Brettle RP *see* Currie PF *et al*
Bridgewater B *et al*. Minimally invasive aortic valve replacement through a transverse sternotomy: a word of caution, **605**
Predicting operative risk for coronary artery surgery in the United Kingdom: a comparison of various risk prediction algorithms, **350**
Brierley JJ *et al*. Traumatic damage to the mitral valve during percutaneous balloon valvotomy for critical aortic stenosis, **200**
Brignole M. Ablate and pace: a pragmatic approach to paroxysmal atrial fibrillation not controlled by antiarrhythmic drugs: *editorial*, **531**
Bristow MR. Carvedilol treatment of chronic heart failure: a new era, **S31**
Brophy JM, Sleight P. Enthusiasm, reality, and cost-effectiveness analysis: *editorial*, **9**
Brouwer J *see* Tjeerdsma G *et al*
Brown M, Griffin GE. Immune responses in endocarditis: *editorial*, **1**
Brown SC *et al*. Percutaneous treatment of stenosed major aortopulmonary collaterals with balloon dilatation and stenting: what can be achieved?, **24**
Self expandable stents for relief of venous baffle obstruction after the Mustard operation, **230**
Brueren GBR *see* Laruelle CJJ *et al*
Brugada J *see* Geelen P *et al*
Brugada P *see* Geelen P *et al*
Bryant J *see* Kardos A *et al*
Buheitel G *see* Hofbeck M *et al*
Bull K. The Fontan procedure: lessons from the past: *editorial*, **213**
Buller CE *see* Chauhan A *et al*
Bu'lock FA *et al*. Balloon expandable stents for systemic venous pathway stenosis late after Mustard's operation, **225**
Bulpitt CJ *et al*. Quality of life in chronic heart failure: cilazapril and captopril versus placebo, **593**
Busch HFM *see* van der Kooi AJ *et al*
Butera G *see* Chessa M *et al*
Butt AY *see* Higenbottam TW *et al*

Caforio ALP *see* Currie PF *et al*
Calo L *see* Gaita F *et al*
Camerini F *see* di Lenarda A *et al*
Camici PG *see* Pagano D *et al*
Camm AJ *see* Hnatkova K *et al*
Caplin JL *see* Walters MI and Caplin JL
Cargill RI *see* Mahy IR *et al*
Carlsson J *see* Miketic S *et al*
Cary N *see* Chambers J *et al*
Cary NRB. Grading of cardiac transplant rejection: *editorial*, **423**
Casadei B *see* Kardos A *et al*
Cecchi F *et al*. Prognostic value of non-sustained ventricular tachycardia and the potential role of amiodarone treatment in hypertrophic cardiomyopathy: assessment in an unselected non-referral based patient population, **331**
Chambers J *et al*. Histological findings in non-hypertrophic cardiomyopathy associated with Noonan's syndrome: *letter*, **206**
Chan C *see* Tofeig M *et al*
Chan KW *see* Sanderson JE *et al*
Chan SKW *see* Sanderson JE *et al*
Chan WM *see* Sanderson JE *et al*
Chatterjee T *et al*. Onion skin aneurysm of the aortic arch, **288**
Pseudoaneurysm of femoral artery after catheterisation: treatment by a mechanical compression device guided by colour Doppler ultrasound, **502**
Chauhan A *et al*. Early and intermediate term clinical outcome after multiple coronary stenting, **29**
Cheng TO. *Helicobacter pylori* and coronary artery disease: *letter*, **313**
Chessa M *et al*. Relation of genotype 22q11 deletion to phenotype of pulmonary vessels in tetralogy of Fallot and pulmonary atresia–ventricular septal defect, **186**
Chinushi M *see* Furushima H *et al*
see Washizuka T *et al*
Chirillo F *et al*. Cardiogenic refractory hypoxaemia secondary to blunt chest trauma: diagnosis by transoesophageal echocardiography, **527**
Choussat R, Montalescot G. Blocking platelets more: are we skating on thin ice?: *editorial*, **5**
Cilazapril-Captopril Multicentre Group *see* Bulpitt CJ *et al*
Ciulli F *see* Suvarna SK *et al*
Clarke B *see* Hobbs WJC *et al*
Clarke N *et al*. Radiofrequency ablation of a fascicular tachycardia after orthotopic cardiac transplantation, **414**
Cleland JGF. Diagnosis of heart failure, **S10**
Coats AJS *see* O'Sullivan CA *et al*
Colombo A *see* di Mario C *et al*
Cook D *see* Wheeldon NM *et al*

Cooke GA *et al.* Physiological cardiac reserve: development of a non-invasive method and first estimates in man, **289**
Copperman Y *see* Viskin S *et al*
Cowley AJ *see* Staniforth AD *et al*
Cremona G *see* Higenbottam TW *et al*
Cullen S *see* Norgård G *et al*
Currie PF *et al.* Cardiac autoimmunity in HIV related heart muscle disease, **599**
Cuvelier C *see* Kazmierczak J *et al*

Daemen MJAP *see* de Vreede-Swagemakers JJM *et al*
Daikoku S *see* Miyao Y *et al*
Dalstra J *see* de Vreede-Swagemakers JJM *et al*
Das SK *see* Henein MY *et al*
Davey P *see* Aristides M *et al*
David GK *see* Appelman YEA *et al*
Davies DW *see* Newman CM *et al*
Davies MK, Hollman A. Stamps in cardiology, **8, 114, 218, 330, 428, 533**
Davies RH. Imaging the thoracic aorta in the injured patient: *letter,* **631**
Davis G *et al.* Evaluation of technician supervised treadmill exercise testing in a cardiac chest pain clinic, **613**
Dawson D *see* James PR *et al*
de Belder MA. Ultrasonic imaging of aortic atheroma: *editorial,* **111**
de Bono DP *et al.* A prioritisation system for elective coronary angiography, **448**
de Feyter PJ *see* Appelman YEA *et al*
see von Birgelen C *et al*
de Giovanni JV *et al.* Recovery pattern of left ventricular dysfunction following radiofrequency ablation of incessant supraventricular tachycardia in infants and children, **588**
Deguchi J *see* Abe J *et al*
de La Rivière AB *see* Laruelle CJJ *et al*
de Leeuw PW *see* Spiering W *et al*
de Leo A *see* Chirillo F *et al*
de Marchi SF *see* Roffi M *et al*
de Maria R *see* di Lenarda A *et al*
Dennig K *et al.* Determination of prestenotic flow volume using an automated method based on colour Doppler imaging for evaluating orifice area by the continuity equation: validation in a pulsatile flow model, **324**
de Paola AAV *et al.* Angiographic and electrophysiological substrates for ventricular tachycardia mapping through the coronary veins, **59**
de Sutter J *see* Kazmierczak J *et al*
de Vecchi E *et al.* Relation between left ventricular function and oxidative stress in patients undergoing bypass surgery, **242**
de Visser M *see* van der Kooi AJ *et al*
de Voogt WG *see* van der Kooi AJ *et al*
de Vreede-Swagemakers JJM *et al.* Circumstances and causes of out-of-hospital cardiac arrest in sudden death survivors, **356**
de Vrey EA *see* von Birgelen C *et al*
Dhein S *see* Gottwald E *et al*
di Carlo D *see* Santoro G *et al*
Dickinson D *see* Uzun O *et al*
di Credico G *see* de Vecchi E *et al*
di Francesco L *see* di Mario C *et al*
di Lenarda A *et al.* Long term survival effect of metoprolol in dilated cardiomyopathy, **337**
di Mario C *et al.* Procedural and follow up results with a new balloon expandable stent in unselected lesions, **234**
Dimmer C *see* Kazmierczak J *et al*
Dindar A *see* de Giovanni JV *et al*
Dinh-Xaun AT *see* Higenbottam TW *et al*
Do D-D *see* Chatterjee T *et al*
Dolara A *see* Cecchi F *et al*
Dössegger L *see* Bulpitt CJ *et al*
Drai E *see* Ferrari E *et al*
Drblik SP *see* Jaeggi E *et al*
Drenth JPH *see* Hooghoudt TEH *et al*
Dubois-Arbouw WI *see* de Vreede-Swagemakers JJM *et al*
Dumoulin M *see* Brown SC *et al*
see Brown SC *et al*
Dyer T *see* de Bono DP *et al*

Edgar RA *see* de Giovanni JV *et al*
Eefting FD *see* Smits PC *et al*
Elhag O, Miller HC. Atrioventricular block occurring several months after radiofrequency ablation for the treatment of atrioventricular nodal re-entrant tachycardia, **616**
El-Zoubi I *see* de Bono DP *et al*
Erbel R *see* Moore MP *et al*
Erdmann E *see* Hoppe UC *et al*
Erdmann E. Pathophysiology of heart failure, **S3**
Eresmaa L *see* Tikanoja T *et al*
Ernst SMPG *see* Laruelle CJJ *et al*
Eykyn SJ *see* Lamas CC and Eykyn SJ
Eyskens B *see* Brown SC *et al*

Ferrari E *et al.* Investigation of the thoracic aorta in cholesterol embolism by transoesophageal echocardiography, **133**
Ferraro M *see* di Mario C *et al*
Filippini LHPM *et al.* Reopening of persistent left superior caval vein after bidirectional cavopulmonary connections, **509**
Firmin RK *see* Hamilton DL *et al*
Fish R *see* Viskin S *et al*
Fitzgerald PJ *see* Moore MP *et al*
Fitzpatrick AP *see* Linker NJ and Fitzpatrick AP
see Lipscomb KJ *et al*
Flapan AD *see* Hillis GS and Flapan AD
Fletcher AE *see* Bulpitt CJ *et al*
Formigari R *see* Santoro G *et al*
Fournier A *see* Jaeggi E *et al*
Fouron JC *see* Jaeggi E *et al*
Fox KAA *see* Moore MP *et al*
Freedom RM *see* Filippini LHPM *et al*
Frenneaux MP *see* Prasad K and Frenneaux MP
Friedli B *see* Beghetti M *et al*
Fujino T *see* Nakagawa M *et al*
see Takahashi N *et al*
Fujiwara H *see* Takemura G *et al*
Fukumoto T *see* Takahashi N *et al*
Fukunami M *see* Yamada T *et al*
Furushima H *et al.* Relation between bradycardia dependent long QT syndrome and QT prolongation by disopyramide in humans, **56**
Fuster V *see* Ambrose JA and Fuster V
Fynn S *see* Khan MA *et al*

Gaita F *et al.* Importance and implications of the occurrence of AV block following radiofrequency ablation: *editorial,* **534**
Gammage MD *see* Marshall HJ *et al*
Gatzoulis MA *see* Norgård G *et al*
Gavazzi A *see* di Lenarda A *et al*
Geelen P *et al.* Neck pounding during sinus rhythm: a new clinical manifestation of dual atrioventricular nodal pathways, **490**
Gershlick AH, Baron J. Dealing with in-stent restenosis: *review,* **319**
Gewillig M *see* Brown SC *et al*
see Brown SC *et al*
Gibbs CR *et al.* The clinical value of ambulatory blood pressure monitoring: *editorial,* **115**
Gibbs JL *see* Uzun O *et al*
Gibson DG *see* Henein MY *et al*
see O'Sullivan CA *et al*
Giese A *see* von Zur Mühlen F *et al*
Gill J *see* Magee AG *et al*
Gilroy JJ *see* Ward CR *et al*
Gladman G *see* Tofeig M *et al*
Glasziou P. Using cost-effectiveness for subsidy decisions: *editorial,* **7**
Gliksman M *see* Aristides M *et al*
see Aristides M *et al*
Goldman JH *see* Currie PF *et al*
Golitsyn SR *see* Vos MA *et al*
Gorgels APM *see* de Vreede-Swagemakers JJM *et al*
Goto Y *see* Miyao Y *et al*
Gottwald E *et al.* Enhanced dispersion of epicardial activation–recovery intervals at sites of histological inhomogeneity during regional cardiac ischaemia and reperfusion, **474**
Gottwald M *see* Gottwald E *et al*
Goudevenos J *see* Siogas K *et al*
Grace AA *see* Hildick-Smith DJR *et al*
see Lowe MD *et al*
Graekas G *see* Siogas K *et al*
Grahame-Clarke C *et al.* Supravalvar aortic stenosis: unexpected findings at surgery, **627**
Gray JC *see* Ward CR *et al*
Gray TA *see* Newman CM *et al*
Grecas G *see* Hatzinikolaou H *et al*
Gregori D *see* di Lenarda A *et al*
Gribbin B *see* Banning AP *et al*
Gribbin GM *et al.* Predictors of atrial rhythm after atrioventricular node ablation for the treatment of paroxysmal atrial arrhythmias, **548**
Griffin GE *see* Brown M and Griffin GE
Griffith MJ *see* de Giovanni JV *et al*
see Marshall HJ *et al*
see Pitt MPI *et al*
Groenink M *see* Rozendaal L *et al*
Grossi A *see* de Vecchi E *et al*

Haase HU *see* Dennig K *et al*
Haase KK. Stents are used too often: *viewpoint,* **541**
Hainsworth R *see* Cooke GA *et al*
Hall D *see* Dennig K *et al*
Hamilton DL *et al.* Pseudoaneurysm of the thoracic aorta presenting with angina: a late complication of aortic valve replacement, **310**

Hancock J *et al.* Randomised trial of elective stenting after successful percutaneous transluminal coronary angioplasty of occluded coronary arteries, **18**
Hara K *see* Abe J *et al*
Hardman SMC *see* James PR *et al*
Haring P *see* Tikanoja T *et al*
Harris ZI *see* Marshall HJ *et al*
Harry JD *see* Vos MA *et al*
Hart AAM *see* Rozendaal L *et al*
Hatzinikolaou H *et al.* Isoprenaline and inducibility of atrioventricular nodal re-entrant tachycardia, **165**
Haukka JK *see* Rapola JM *et al*
Haven AJ *see* Currie PF *et al*
Hayton S *see* Khan MA *et al*
Heinonen OP *see* Rapola JM *et al*
Henderson RA *see* Khan MA *et al*
Henein MY *see* O'Sullivan CA *et al*
Henein MY *et al.* Left ventricular long axis disturbances as predictors for thallium perfusion defects in patients with known peripheral vascular disease, **295**
Hennekam RCM *see* Rozendaal L *et al*
Hess OM *see* Schneider U *et al*
Higenbottam TW *et al.* Treatment of pulmonary hypertension with the continuous infusion of a prostacyclin analogue, iloprost, **175**
Hildick-Smith DJR *et al.* Ventricular pacemaker upgrade: experience, complications and recommendations, **383**
Hillis GS, Flapan AD. Cell adhesion molecules in cardiovascular disease: a clinical perspective: *review*, **429**
Hnatkova K *et al.* Distribution of fast heart rate episodes during paroxysmal atrial fibrillation, **497**
Hobbs WJC *et al.* An unusual intracardiac shunt secondary to penetrating cardiac trauma, **525**
Hofbeck M *et al.* Monosomy 22q11 in patients with pulmonary atresia, ventricular septal defect, and major aortopulmonary collateral arteries, **180**
Hoki N *see* Yamada T *et al*
Hollman A *see* Davies MK and Hollman A
Holmberg S *see* Hancock J *et al*
Hongo M, Sekiguchi M. Familial and primary cardiac amyloidosis: echocardiographically similar diseases with distinctly different clinical outcomes: *letter*, **313**
Hooghoudt TEH *et al.* Fool proof fax facilities: a valuable tool in thrombolysis decision making: *letter*, **314**
Hooper T *see* Bridgewater B *et al*
Hoppe UC *et al.* A young mother with severe chest pain, **205**
Hori M *see* Yamada T *et al*
Housholder S *see* Amin NB *et al*
Hovgaard D *see* Borgbjerg BM *et al*
Huttunen JK *see* Rapola JM *et al*

Ibutilide/Sotalol Comparator Study Group *see* Vos MA *et al*
Ijiri H *see* Sano S *et al*
Ikari Y *see* Abe J *et al*
Ino T *et al.* Recanalisation after coil embolisation of persistent ductus arteriosus, **308**
Iserin L *see* Chessa M *et al*
Ishida S *see* Nakagawa M *et al*
Isnard R *see* Komajda M *et al*
Ishihara T *see* Sano S *et al*
Ito M *see* Takahashi N *et al*
see Nakagawa M *et al*
Iwao T *see* Nakagawa M *et al*

Jacob AJ *see* Currie PF *et al*
Jaeggi E *et al.* Ventriculo-atrial time interval measured on M mode echocardiography: a determining element in diagnosis, treatment, and prognosis of fetal supraventricular tachycardia, **582**
James PR *et al.* Transoesophageal echocardiography diagnosis of a left coronary artery fistula draining into the right atrium, **416**
Jamieson SW. Pulmonary thromboendarterectomy: *editorial*, **118**
Jenkins DP. Are patients with poor left ventricular function more prone to oxidative stress during cardiac surgery?: *commentary*, **219**
Jennekens FGI *see* van der Kooi AJ *et al*
Jenni R *see* Schneider U *et al*
see Zuber M and Jenni R
Jensen-Urstad K *et al.* High prevalence of arrhythmias in elderly male athletes with a lifelong history of regular strenuous exercise, **161**
Jensen-Urstad M *see* Jensen-Urstad K *et al*
Jewitt DE *see* Hancock J *et al*
Johnston PW, Trouton TG. Dietary precautions and listeria endocarditis?: *letter*, **206**
Jones M *see* Bridgewater B *et al*
Jongen PJH *see* van der Kooi AJ *et al*
Jordaens L *see* Kazmierczak J *et al*
Josen M *see* Norgård G *et al*
Joseph SP *see* Rao AC and Joseph SP

Kachaner J *see* Chessa M *et al*
Kagiyama H *see* Takahashi N *et al*
Kanase H *see* Yamazaki T *et al*
Kangawa K *see* Miyao Y *et al*
Kardos A *et al.* Lipophilic versus hydrophilic β, blockers and the cardiac sympatho-vagal balance during stress and daily activity in patients after acute myocardial infarction, **153**
Karnad DR. Haemodynamic patterns in patients with scorpion envenomation, **485**
Kazmierczak J *et al.* Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin, **388**
Kearney PP *see* Moore MP *et al*
Kennedy A *see* Suvarna SK *et al*
Kenny RA *see* Ward CR *et al*
Khan MA *et al.* A normal electrocardiogram precludes the need for left ventriculography in the assessment of coronary artery disease, **262**
Khattar RS *et al.* Assessment of myocardial perfusion and contractile function by inotropic stress Tc-99m sestamibi SPECT imaging and echocardiography for optimal detection of multivessel coronary artery disease, **274**
Kim J *see* Yamada T *et al*
Kimura T *see* von Birgelen C *et al*
Kinnear WJM *see* Staniforth AD *et al*
Kirkinen P *see* Tikanoja T *et al*
Kitchiner DJ *see* Bu'lock FA *et al*
Klass C *see* von Zur Mühlen F *et al*
Kohno I *see* Sano S *et al*
Komajda M *et al.* The role of the neurohormonal system in heart failure, **S17**
Komori S *see* Sano S *et al*
Koolen JJ *see* Appelman YEA *et al*
Kreuzer H *see* von Zur Mühlen F *et al*
Kumagai K *see* Yamada T *et al*
Kurokawa K *see* Abe J *et al*

Ladusans E *see* Tofeig M *et al*
Lahiri A *see* Khattar RS *et al*
Laitinen PO *see* Turanlahti MI *et al*
Lamas CC, Eykyn SJ. Hospital acquired native valve endocarditis: analysis of 22 cases presenting over 11 years, **442**
Lamfers EJP *see* Hooghoudt TEH *et al*
Langanay T *see* le Breton H *et al*
Lange A *see* Moore MP *et al*
Large S *see* Chambers J *et al*
Laruelle CJJ *et al.* Stenting of "unprotected" left main coronary artery stenoses: early and late results, **148**
Laursen JB *see* Borgbjerg BM *et al*
le Breton H *et al.* Aneurysms and pseudoaneurysms of saphenous vein coronary artery bypass grafts, **505**
Lechat P *see* Komajda M *et al*
Leclercq C *see* le Breton H *et al*
Lehmann G *see* Alt E *et al*
Leipold G *see* Hofbeck M *et al*
Leon MB *see* di Mario C *et al*
see von Birgelen C *et al*
Liapi G *see* Siogas K *et al*
Lie KI *see* Appelman YEA *et al*
Linker NJ *see* Lipscomb KJ *et al*
Linker NJ, Fitzpatrick AP. The transseptal approach for ablation of cardiac arrhythmias: experience of 104 procedures, **379**
Lipscomb KJ *et al.* Subpectoral implantation of cardioverter defibrillators under local anaesthesia, **253**
Locke TJ *see* Suvarna SK *et al*
Long V *see* Kardos A *et al*
Longaro F *see* di Lenarda A *et al*
Lorenzoni R *see* Pagano D *et al*
Low CJS *see* Williams MJA *et al*
Lowe MD *see* Hildick-Smith DJR *et al*
Lowe MD *et al.* Sotalol associated polymorphic ventricular tachycardia and coronary spasm, **518**
Lyonnet S *see* Chessa M *et al*

Mabuchi H *see* Yamaguchi M *et al*
McComb JM *see* Gribbin GM *et al*
McDicken NW *see* Moore MP *et al*
McKenna WJ *see* Currie PF *et al*
Magee AG *et al.* Unguarded tricuspid orifice with pulmonary atresia: successful radiofrequency ablation of an accessory pathway in an infant, **101**
Mahler F *see* Chatterjee T *et al*
Mahy IR *et al.* Left atrial thrombus as an early consequence of blunt chest trauma, **198**
Malik M *see* Hnatkova K *et al*
Mall G *see* von Zur Mühlen F *et al*
Maron BJ *see* Cecchi F *et al*
Marshall HJ *et al.* Atrioventricular nodal ablation and implantation of mode switching dual chamber pacemakers: effective treatment for drug refractory paroxysmal atrial fibrillation, **543**
Marshall P *see* Cooke GA *et al*
Martinez EE *see* de Paola AAV *et al*
Mason M *see* Clarke N *et al*
Mast GE *see* Laruelle CJJ *et al*

Matsumoto T *see* Miyao Y *et al*
Matsuo H *see* Miyao Y *et al*
Mayer K, Niederhaeuser U. Cardiac papillary fibroelastoma with cerebral and coronary embolic events, **307**
Mazouz B. Effect of atrioventricular asynchrony on platelet activation: *letter*, **530**
Meier B *see* Chatterjee T *et al*
Meier B. How to treat small coronary vessels with angioplasty: *editorial*, **215**
Melo WDS *see* de Paola AAV *et al*
Mertens L *see* Brown SC *et al*
Miketic S *et al.* An isolated single coronary artery, **515**
Millar-Craig MW *see* Hamilton DL *et al*
Miller HC *see* Elhag O and Miller HC
Mintz GS *see* von Birgelen C *et al*
Miyao Y *et al.* Increased plasma adrenomedullin levels in patients with acute myocardial infarction in proportion to the clinical severity, **39**
Miyata A *see* Miyao Y *et al*
Miyazaki M *see* Yamazaki T *et al*
Miyazaki S *see* Miyao Y *et al*
Moat N *see* Bridgewater B *et al*
Monkman S *see* Chauhan A *et al*
Montalescot G *see* Choussat R and Montalescot G
Montereggi A *see* Cecchi F *et al*
Moore MP *et al.* Characterisation of coronary atherosclerotic morphology by spectral analysis of radiofrequency signal: in vitro intravascular ultrasound study with histological and radiological validation, **459**
Morand P *see* Ferrari E *et al*
Morgan CD *et al.* Analysis of deaths while waiting for cardiac surgery among 29 293 consecutive patients in Ontario, Canada, **345**
Morii I *see* Miyao Y *et al*
Moscovich MD *see* Chauhan A *et al*
Moussa I *see* di Mario C *et al*
Mulder BJM *see* Rozendaal L *et al*
Muller MF *see* Chatterjee T *et al*
Munnich A *see* Chessa M *et al*
Murgatroyd FD *see* Hnatkova K *et al*
Murray A *et al.* Validation of an automated technique for determining the mechanical characteristics of coronary arteries during balloon angioplasty: laboratory assessment with necropsy segments, **608**
Murray S *see* Gibbs CR *et al*

Naeff MSJ *see* Rozendaal L *et al*
Naegeli B *see* Osswald S and Naegeli B
Nakagawa M *et al.* Circadian rhythm of the signal averaged electrocardiogram and its relation to heart rate variability in healthy subjects, **493**
Naylor CD *see* Morgan CD *et al*
Neiss A *see* Bulpitt CJ *et al*
Nesser HJ *see* Dennig K *et al*
Neve H *see* Bridgewater B *et al*
Newell SA *see* Hildick-Smith DJR *et al*
Newman CM *et al.* Amiodarone and the thyroid: a practical guide to the management of thyroid dysfunction induced by amiodarone therapy: *review*, **121**
Niederhaeuser U *see* Mayer K and Niederhaeuser U
Nielsen T *see* Bulpitt CJ *et al*
Nikolajev K *see* Tikanoja T *et al*
Nishikimi T *see* Miyao Y *et al*
Nishimoto K *see* Ino T *et al*
Niwano S *see* Furushima H *et al*
see Washizuka T *et al*
Nobuyoshi M *see* von Birgelen C *et al*
Nonogi H *see* Miyao Y *et al*
Norgård G *et al.* Does restrictive right ventricular physiology in the early postoperative period predict subsequent right ventricular restriction after repair of tetralogy of Fallot?, **481**
Nykanen DG *see* Filippini LHPM *et al*

Oakley GDG *see* Wheeldon NM *et al*
Obayashi T *see* Takeuchi S *et al*
Oberhänsli I *see* Beghetti M *et al*
Odom NJ *see* Hobbs WJC *et al*
Ogita H *see* Yamada T *et al*
Ohhira K *see* Furushima H *et al*
Ohno M *see* Abe J *et al*
Oikarinen L *et al.* Electrocardiographic measures of ventricular repolarisation dispersion in patients with coronary artery disease susceptible to ventricular fibrillation, **554**
Okay T *see* Sabah I *et al*
Okubo M *see* Ino T *et al*
Olivotto I *see* Cecchi F *et al*
Ordoubadi F *see* Pagano D *et al*
Orr WP *see* Banning AP *et al*
Ortloff S *see* Davis G *et al*
Osswald S, Naegeli B. Dual chamber single lead pacing: *editorial*, **217**
O'Sullivan C *see* Henein MY *et al*
O'Sullivan CA *et al.* Abnormal ventricular activation and repolarisation during dobutamine stress echocardiography in coronary artery disease, **468**
Ovaert C *see* Filippini LHPM *et al*

Pagano D *et al.* Predictive value of dobutamine echocardiography and positron emission tomography in identifying hibernating myocardium in patients with postischaemic heart failure, **281**
Pala MG *see* de Vecchi E *et al*
Pambakian H *see* Al-Mohammad A *et al*
Paolini G *see* de Vecchi E *et al*
Pappas S *see* Siogas K *et al*
Parolini M *see* di Lenarda A *et al*
Paroni R *see* de Vecchi E *et al*
Parsons J *see* Uzun O *et al*
Pasquantonio J *see* Alt E *et al*
Pasterkamp G *see* Smits PC *et al*
Patterson CC *see* Yarnell JWG *et al*
Paul V *see* Clarke N *et al*
Pavin D *see* le Breton H *et al*
Peart I *see* Bu'lock FA *et al*
Penn IM *see* Chauhan A *et al*
Perry KT *see* Vos MA *et al*
Pesonen E *see* Turanlahti MI *et al*
Petch MC *see* Hildick-Smith DJR *et al*
Peters RJG *see* Tan HL *et al*
Pfeiffer R *see* Hofbeck M *et al*
Piek JJ *see* Appelman YEA *et al*
Pitt MPI *et al.* Radiofrequency catheter ablation for atrial flutter following orthotopic heart transplantation, **412**
Plokker THW *see* Laruelle CJJ *et al*
Podinovskaya Y *see* de Bono DP *et al*
Pony JC *see* le Breton H *et al*
Poole-Wilson PA. β Adrenoceptor blockade in congestive heart failure: future perspectives, **S35**
Popma JJ *see* von Birgelen C *et al*
Potratz J *see* Bode F *et al*
Pousset F *see* Komajda M *et al*
Popma JJ *see* von Birgelen C *et al*
Potratz J *see* Bode F *et al*
Prasad K, Frenneaux MP. Hypertrophic cardiomyopathy: is there a role for amiodarone?: *editorial*, **317**
Sudden death in hypertrophic cardiomyopathy: potential importance of altered autonomic control of vasculature: *editorial*, **538**
Price A *see* Newman CM *et al*
Primo J *see* Geelen P *et al*
Printz BF *see* Allan LD *et al*
Proulx F *see* Jaeggi E *et al*
Pugsley WB *see* Grahame-Clarke C *et al*

Qureshi SA *see* Rosenthal E and Qureshi SA

Raasch W *see* Bode F *et al*
Rajan N *see* Aristides M *et al*
Rao AC, Joseph SP. Reduction in time delays in administering thrombolytic treatment: *letter*, **422**
Rao PS, Waterman B. Relation of biophysical response of coarcted aortic segment to balloon dilatation with development of recoarctation following balloon angioplasty of native coarctation, **407**
Rapola JM *et al.* Effects of α tocopherol and β carotene supplements on symptoms, progression, and prognosis of angina pectoris, **454**
Rauch A *see* Hofbeck M *et al*
Ravilious B *see* de Bono DP *et al*
Ray S *see* Bridgewater B *et al*
Raymond K *see* Sanderson JE *et al*
Reddy TD *see* Brierley JJ *et al*
Redekop WK *see* Appelman YEA *et al*
Redington AN *see* Brierley JJ *et al*
see Norgård G *et al*
see Wagstaff MH *et al*
Reed A *see* Davis G *et al*
Reimers B *see* di Mario C *et al*
Reimers CD *see* von Zur Mühlen F *et al*
Remme WJ. β Blockade in congestive heart failure, **S1**
Restieaux NJ *see* Williams MJA *et al*
Riccardi R *see* Gaita F *et al*
Ricci DR *see* Chauhan A *et al*
Richardt G *see* Bode F *et al*
Richter K *see* di Mario C *et al*
Rigby ML *see* Brierley JJ *et al*
see Wagstaff MH *et al*
Riley R *see* Cooke GA *et al*
Rioux C *see* le Breton H *et al*
Ripatti S *see* Rapola JM *et al*
Roberts D *see* Davis G *et al*
Robida A, Venkatraman B. Anomalous left pulmonary artery without pulmonary artery sling, **521**
Rodriguez L-M *see* Hatzinikolaou H *et al*
Roffi M *et al.* Congenitally corrected transposition of the great arteries in an 80 year old woman, **622**

Roland Y *see* le Breton H *et al*
Rosenthal E *see* Magee AG *et al*
Rosenthal E, Qureshi SA. Stenting of systemic venous pathways after atrial repair for complete transposition: *editorial*, **211**
Roth A *see* Viskin S *et al*
Rozendaal L *et al.* Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation, **69**
Ruda MY *see* Vos MA *et al*

Sabah I *et al.* Rupture of a presumed hydatid cyst of the interventricular septum diagnosed by transoesophageal echocardiography, **420**
Saikawa T *see* Nakagawa M *et al*
see Takahashi N *et al*
Sakata T *see* Takahashi N *et al*
Salter DM *see* Moore MP *et al*
Saltin B *see* Jensen-Urstad K *et al*
Salvatore L *see* di Lenarda A *et al*
Sanada S *see* Yamada T *et al*
Sanderson JE *et al.* β Blockers in heart failure: a comparison of a vasodilating β blocker with metoprolol, **86**
Sano S *et al.* Prevalence of ventricular preexcitation in Japanese schoolchildren, **374**
Santoro G *et al.* Late onset pulmonary valvar stenosis after arterial switch operation for transposition of the great arteries, **311**
Sarna SJ *see* Turanlahti MI *et al*
Sawanobori T *see* Sano S *et al*
Schömig A *see* Alt E *et al*
see Dennig K *et al*
Schmitt C *see* Alt E *et al*
Schneider U *et al.* Long term follow up of patients with endomyocardial fibrosis: effects of surgery, **362**
Schofield PM *see* Hildick-Smith DJR *et al*
Seiler C *see* Roffi M *et al*
Sekiguchi M *see* Hongo M and Sekiguchi M
Senior R *see* Khattar RS *et al*
Serino W, Sigwart U. Septal ablation in a patient with hypertrophic obstructive cardiomyopathy and a unique variant of anomalous origin of the left coronary artery, **629**
Serruys PW *see* Appelman YEA *et al*
see von Birgelen C *et al*
Shapiro LM *see* Hildick-Smith DJR *et al*
Sharland GK *see* Simpson JM and Sharland GK
Shaw TRD *see* Moore MP *et al*
Shimizu M *see* Yamaguchi M *et al*
Shimonagata T *see* Yamada T *et al*
Sideris DA *see* Siogas K *et al*
Sidi D *see* Chessa M *et al*
Sigwart U *see* Serino W and Sigwart U
Silove ED *see* de Giovanni JV *et al*
Simpson JM, Sharland GK. Fetal tachycardias: management and outcome of 127 consecutive cases, **576**
Sinagra G *see* di Lenarda A *et al*
Singer H *see* Hofbeck M *et al*
Singer M. Cardiac output in 1998: *review*, **425**
Singh J *see* Kardos A *et al*
Sinha S *see* Khan MA *et al*
Siogas K *et al.* Segmental wall motion abnormalities alter vulnerability to ventricular ectopic beats associated with acute increases in aortic pressure in patients with underlying coronary artery disease, **268**
Sleight P *see* Brophy JM and Sleight P
see Kardos A *et al*
Sloop GD. Possible association of a reduction in cardiovascular events with blood donation: *letter*, **422**
Smeets JLRM *see* Hatzinikolaou H *et al*
Smith W. Malignant vasovagal syncope: a randomised trial of metoprolol and clonidine: *letter*, **105**
Smits PC *et al.* Shrinkage of human coronary arteries is an important determinant of de novo atherosclerotic luminal stenosis: an in vivo intravascular ultrasound study, **143**
Spencer T *see* Moore MP *et al*
SPIC (Italian Multicentre Cardiomyopathy Study) Group *see* di Lenarda A *et al*
Spiering W *et al.* Comparison of impedance cardiography and dye dilution method for measuring cardiac output, **437**
Spodick DH. Human stress cardiomyopathy mimicking acute myocardial syndrome: *letter*, **530**
Squillatini G *see* Cecchi F *et al*
Stangl K *see* Vos MA *et al*
Staniforth AD *et al.* Nocturnal desaturation in patients with stable heart failure, **394**
Starkey IR *see* Moore MP *et al*
Starling R *see* Staniforth AD *et al*
Steering Committee of the Cardiac Care Network of Ontario *see* Morgan CD *et al*
Steinbeck G *see* Vos MA *et al*
Steyn RS *see* Bridgewater B *et al*
Stijns RE *see* de Vreede-Swagemakers JJM *et al*
Stockx L *see* Brown SC *et al*
Stone DL *see* Hildick-Smith DJR *et al*
see Lowe MD *et al*
Strikwerda S *see* Appelman YEA *et al*
Stumper O *see* de Giovanni JV *et al*
Sugano K *see* Yamazaki T *et al*
Sutherland GR *see* Moore MP *et al*
Sutton GC *see* O'Sullivan CA *et al*
Sutton R *see* O'Sullivan CA *et al*
Suttorp M-J *see* Laruelle CJJ *et al*
Suvarna SK *et al.* Revision of the 1990 working formulation for cardiac allograft rejection: the Sheffield experience, **432**
Swanton RH *see* Grahame-Clarke C *et al*
Swedberg K. History of β blockers in congestive heart failure, **S29**
Sweetnam PM *see* Yarnell JWG *et al*
Swijndregt EV *see* Appelman YEA *et al*
Sykora K *see* Morgan CD *et al*

Taillan B *see* Ferrari E *et al*
Takahashi N *et al.* Clinical suppression of bradycardia dependent premature ventricular contractions by the potassium channel opener nicorandil, **64**
Takao M *see* Higenbottam TW *et al*
Takatsu Y *see* Takemura G *et al*
Takemura G *et al.* Luminal narrowing of coronary capillaries in human hypertrophic hearts: an ultrastructural morphometrical study using endomyocardial biopsy specimens, **78**
Takeuchi S *et al.* Primary antiphospholipid syndrome with acute myocardial infarction recanalised by PTCA, **96**
Takishita S *see* Miyao Y *et al*
Takuwa Y *see* Abe J *et al*
Tamura K *see* Sano S *et al*
Tamura T *see* Abe J *et al*
Tan HL *et al.* Suppression of torsades de pointes by atropine, **99**
Tan LB *see* Cooke GA *et al*
Tavazzi L. Epidemiological burden of heart failure, **S6**
Tavernier R *see* Kazmierczak J *et al*
Távora MZP *see* de Paola AAV *et al*
Tayler DI *see* Wheeldon NM *et al*
Taylor PR *see* Rapola JM *et al*
Tebbe U *see* Miketic S *et al*
Thanopoulous V *see* Brierley JJ *et al*
Thomas MR *see* Hancock J *et al*
Thompson GR. Serum cytokines and cardiovascular risk factors: *letter*, **422**
Thorne SA. Management of polycythaemia in adults with cyanotic congenital heart disease: *editorial*, **315**
Tijssen JGP *see* Appelman YEA *et al*
Tikanoja T *et al.* Familial atrial fibrillation with fetal onset, **195**
Timmermans C *see* Hatzinikolaou H *et al*
Tisdale JE *see* Amin NB *et al*
Tjeerdsma G *et al.* Rapid progression of pericardial malignant mesothelioma, **618**
Tofeig M *et al.* Occlusion of Fontan fenestrations using the Amplatzer septal occluder, **368**
Transcatheter occlusion of a post-Fontan residual hepatic vein to pulmonary venous atrium communication using the Amplatzer septal occluder, **624**
Toivonen L *see* Oikarinen L *et al*
Tometzki AJP *see* Bu'lock FA *et al*
Totis O *see* Chirillo F *et al*
Touboul P *see* Vos MA *et al*
Townend JN *see* Pagano D *et al*
Toyama J *see* Takeuchi S *et al*
Toyo-Oka T *see* Yamazaki T *et al*
Trouton TG *see* Johnston PW and Trouton TG
Turanlahti MI *et al.* Nitric oxide, oxygen, and prostacyclin in children with pulmonary hypertension, **169**
Turina J *see* Schneider U *et al*
Turina M *see* Schneider U *et al*

Underwood SR *see* Henein MY *et al*
Uzun O *et al.* Residual and recurrent shunts after implantation of Cook detachable duct occlusion coils, **220**

van der Kooi AJ *et al.* The heart in limb girdle muscular dystrophy, **73**
van der Wall EE *see* Rozendaal L *et al*
van Doesburg N *see* Jaeggi E *et al*
van Es PN *see* Spiering W *et al*
van Gemert MJC *see* Appelman YEA *et al*
van Ree JW *see* de Vreede-Swagemakers JJM *et al*
van Ufford MAQ *see* Smits PC *et al*
van Veldhuisen DJ *see* Tjeerdsma G *et al*
van Wijk L *see* Vos MA *et al*
Varnava A. Coronary artery remodelling: *editorial*, **109**
Velvis H *see* Bensky AS and Velvis H
Venkatraman B *see* Robida A and Venkatraman B
Viergutz S *see* Bulpitt CJ *et al*
Viitasalo M *see* Oikarinen L *et al*
Virtamo J *see* Rapola JM *et al*
Viskin S *et al.* Prevention of torsade de pointes in the congenital long QT syndrome: use of a pause prevention pacing algorithm, **417**
von Birgelen C *et al.* Atherosclerotic coronary lesions with inadequate compensatory enlargement have smaller plaque and vessel volumes: observations with three dimensional intravascular ultrasound in vivo, **137**

von der Emde J *see* Hofbeck M *et al*
von Zur Mühlen F *et al.* Cardiac involvement in proximal myotonic myopathy, **619**
Vos MA *et al.* Superiority of ibutilide (a new class III agent) over DL-sotalol in converting atrial flutter and atrial fibrillation, **568**
Vrouchos G *see* Hatzinikolaou H *et al*
Vu E *see* Chauhan A *et al*

Wagstaff MH *et al.* Increasing workload and changing referral patterns in paediatric cardiology outreach clinics: implications for consultant staffing, **223**
Wainwright RJ *see* Hancock J *et al*
Wales C *see* Wheeldon NM *et al*
Walsh KP *see* Bu'lock FA *et al*
see Tofeig M *et al*
Walters MI, Caplin JL. Atrioventricular fistula: an unusual complication of a ventricular pseudoaneurysm after myocardial infarction, **523**
Ward CR *et al.* Midodrine: a role in the management of neurocardiogenic syncope, **45**
Washizuka T *et al.* Bifid T waves induced by isoprenaline in a patient with Brugada syndrome, **305**
Waterman B *see* Rao PS and Waterman B
Weetman AP *see* Newman CM *et al*
Wellens HJJ *see* de Vreede-Swagemakers JJM *et al*
see Hatzinikolaou H *et al*
see Vos MA *et al*
Wheeldon NM *et al.* Screening for atrial fibrillation in primary care, **50**
White C *see* Wilson N and White C
Wiegand U *see* Bode F *et al*
Wilde AAM *see* Tan HL *et al*
Williams MJA *et al.* Myocardial infarction in young people with normal coronary arteries, **191**
Wilson N, White C. Rotational ablation assisted angioplasty of an obstructed aortopulmonary collateral artery, **203**
Woo KS *see* Sanderson JE *et al*
Working Party of the British Society for Antimicrobial Chemotherapy. Antibiotic treatment of streptococcal, enterococcal, and staphylococcal endocarditis, **207**
Worthington G *see* Davis G *et al*
Wren C. Mechanisms of fetal tachycardia: *editorial*, **536**
Wright DJ *see* Cooke GA *et al*
Wright JC *see* de Giovanni JV *et al*

Yabuta K *see* Ino T *et al*
Yalcin F *see* Sabah I *et al*
Yamada T *et al.* Prediction of the effectiveness of long term β blocker treatment for dilated cardiomyopathy by signal averaged electrocardiography, **256**
Yamaguchi M *et al.* Cavernous haemangioma in the coronary sinus, **516**
Yamazaki T *et al.* Transient hypertension in male adolescents when measured by a woman: *letter*, **104**
Yarnell JWG *et al.* Is metabolic syndrome a discrete entity in the general population? Evidence from the Caerphilly and Speedwell population studies, **248**
Yeung LYC *see* Sanderson JE *et al*
Yonemochi H *see* Nakagawa M *et al*
Young C *see* Al-Mohammad A *et al*
Yu CM *see* Sanderson JE *et al*

Zuber M, Jenni R. Congenital morphologies of the aortic valve, **592**